

Z

MOLL

35


O

HOL

Zool. Dept.
MOLLUSCA

35

o
H



Hollan (H. R. K.)

Enumeratio
systematica
Conchyliorum.

beati

J. H. Chemnitzii

quondam ecclesie Jeshu
Havnicae pastoris, plurimum
societatum sodalis p. p.

quae.

publica auctione venduntur
die 7mo Decembris
ann. praes.

Havnica. MDCCCII.

Typis K. H. Seidelini.

[N.B. The date of the sale has in
the Linnean Society's copy been
altered in MS. to 7 Februarii 1803.]

L. B. S.

Collectio Conchyliorum, quorum
enumerationem haec Tibi con-
chyliophilo lectori, offero, sive
specierum numerum, sive
speciminum integritatem et
pulchritudinem spectes, magni
est momenti, eo autem mag-
noper e jus augetur pretium,
quod continet prototypa des-
criptionum libri, cui titulus
est Systematisches Conchylien-
Cabinet. Cum elaboratione
plurimarum hujus libri par-
tium et indefessa in colli-
gendo cura beat. Chemnitzius
jam sat sibi magnam inter
omnes natura scrutatores
nomen acquisivit, supervacu-
um habes relictum ejus Museum

laudare; sed pauca tantummodo ad illustrationem huius catalogi mihi adferre liceat.

Non ignarus eruditissimarum commentationum, quas in scientia conchyliologica praesertim elaborant Franco-Gallorum celeberrimi La Mark et Brugiere temporibus proxime elapsis, doleo, in pluribus actis periodicis, optimas has emendationes dissipatas ideoque non sine maximo incommodo colligendas et huic catalogo legendas adhibendas, quae de causa norman Linnaeam secutus sum, et quidem

secundum editionem decimam tertiam cura Gmelini, ubi plurimae species commemoratae sunt. Paucissima, praesertim quoad species, mutavi, quod per totum hoc opusculum mallem earum varietates augere, nam falsas et dubias enumerare. Rariora, quippe quae satis nota Lenchylogis non signavi, attamen, quamquam plurima hujus collectionis specimina integerrima sunt, quaedam pulchritudine magnitudine vel integritate insigniora notavi. Numerum speciminum ad singulam speciem, et si plura quam unum sunt, specimina plurima (sp. plur.) posui.

Cæteroguin ignoscat
æquus et benevolus hu-
jus catalogi lector erra-
ta, quæ vel in dispositi-
onem vel in specierum
discriptiones irrepserint.

H. S. Holten.

Reverendissimorum Principum
Christiani Frederici
et Frederici Ferdinandi
præceptor.

Errata.

Page.	9	Lin.	18	unis	lege	unic.
"	15	-	6	sdecies	1.	species.
"	21	-	8	spinos-	1.	spinosis
-	23	-	13	adde	C.	
-	34	-	15	desig.	1.	descript.
-	36	-	22	præcedenti		
				1.	præcedenti.	
-	37	-	17	aranciacus	1.	Aurisiacum
-	40	-	21	præcedentis	1.	Præcedenti
-	41	-	9	Lync	1.	Lynx.
-	43	-	11	Mysalis	1.	Physalis.
-	44	-		ult	flamea	1. flammea.
-	47.	-	8	Cornus	1.	Cornus.
-	48	-	9	debrittis	1.	debritis.
-	49	-		penult	tranquebarium	
				1.	tranquebaricum.	
-	57.	-	11	prima	1.	primæ.
-	58	-	22	Gmel	1.	Gmel.
-	64	-	9	species	1.	species
-	-	-	-	cylindrico	1.	cylia- drico.

- - - 12 fuscis l. fuscis.
- 70 - ult integerima
l. integerimus.
- 76 - 24 truncata l. truncato
- 79 - 1 Albumen l. Albumen
- 80 - 7 subsasciata l. subfas
ciata.
- 86 - penult 5 deleatur.
- 88 - 20 absque l. absque.



N
1
2
3
4
5
6
7
8
9
10

Multivalvia.


Chiton.

- No. C. Tigris Spengleri Act. Soc.
 1 Hist. nat. Hafn. P. 4 Fasc. 1.
 p. 68. sp. plur.
- 2 C. undatus Linn. sp. plur.
- 3 C. — Var. septemvalv. sp. plur.
- 4 C. viridis Sp. loc. cit. sp. un.
- 5 C. ferrugineus Sp. loc. cit. p.
 72 candidatus Chemn? sp. 3.
- 6 C. olivaceus. Var. c. Sp. 1. c.
 p. 75. sp. unic.
- 7 C. punctatus Linn. sp. unic.
- 8 C. aculeatus Linn. sp. 4.
 quorum unum maxim.
- 9 C. Salamander sp. loc. cit.
 80. sp. plur.
- 10 C. fascicularis Linn. sp. 3.

- 11 *C. marmoratus* Linn. sp. plur.
- 12 *C.* — Var. *sexovalv.* sp. 2.
- 13 *C. cerasinus* Chemn. Tom.
VIII fig. 797. sp. 3.
- 14 *C. magellanicus.* Chemn.
T. VIII fig. 797. 798 sp. unic.
- 15 *C. Linter.* Chemn. T. VIII fig.
799, 800. sp. unic.
- 16 *C. Papilio* Spengl. loc. cit.
p. 86 (*bilineatus* Chemn.) sp. 3.
- 17 *C. nova species e feto ma-*
gellanico. Testa octovalvi
dorsata, valvulis angula-
tis semicirculariter striatis
colore fuscobrunneo vel vi-
ridi brunneo variegata,
subtus albida. Longit
3 poll. latit. 1½ poll. sp. 2.
- 18 *C. ruber.* Linn. sp. plur.
- 19 *C. marmoreus.* Fabr. Faun.
groenlandic. Chemn. VIII.
fig. 812. sp. plur.

Page 2.

- 20 *C. minimus* Chemn. T.
VIII. fig. 814 sp. plur.
- 21 *C. albus* Linn. sp. plur.
- 22 *C. Asellus* Chemn. VIII fig.
816. sp. plur.
23. *C. nov. spec.* Favanne
Conchyliologie tab. 16 A, 3.
sp. unic.
- 24 *C. nov. species.* Testa octo-
valvi carinata glabra,
ad latera transversim
striata, colore fusco et
griseo. Magnit. semi-
pollic. Patria mihi
ignota. sp. plur.



Catalogue of Chemnitz
Collection, by J. Holden.

- 25 C. nov. species. Testa octovalvi subcari-
nata, valvulis angulatis, angulis utrinque mar-
gine elevato, dorso lævi, colore viridi, al-
bo et rubro variegata. Longit. $3\frac{1}{2}$ Lin. la-
tit $1\frac{1}{2}$ lin. Patria mihi ignota. sp. unic.
- 26 C. nov. species. Testa septemvalvi glabra,
valvulis angulatis. quarum prima, septima
et omnium anguli transverse undatim striati,
dorso punctato, colore griseo. Ex insula
St. Thomæ. sp. unic.

Lepas.

- 27 L. Balanus Linni. sp. 3.
- 28 L. — Var. d. Chemn. VIII fig. 830. sp.
unic.
- 29 L. plicata Spengl. loc. cit. pag. 167. sp.
plur.
- 30 L. balanoides L. sp. 2.
- 31 L. — Var. c. Sp. loc. cit. p. 171. sp.
unic.
- 32 L. — Var. d. ibid. sp. 2.
- 33 L. purpurea sp. loc. cit. sp. unic.
- 34 L. foliacea L. sp. 2 pulcherr.
- 35 L. fistula Chemn. VIII fig. 832 sp. unic.
- 36 L. echinata ibid. fig. 841. sp. plur.



- 37 *L. echinata* Var. *ibid.* fig. 840. sp. plur.
 38 *L. Tintinnabulum* L. sp. 2.
 39 *L. testudinaria* L. sp. 2.
 40 *L. balænaris.* Chemn. VIII fig. 845. 846.
 sp. unic.
 41 *L. Diadema* L. sp. 3.
 42 *L. fungites* sp. loc. cit. p. 189. sp. 3.
 43 *L. nova species.* Testa 13 radiata transver-
 sim striata. E mari mediterraneo testudin-
 affixa. sp. unic.
 44 *L. anserifera* L. sp. unic.
 45 *L. —* Var. *minima* Chemn. (nova species?
 testa sulcis distinctis elevatis. Ex India
 orientali. sp. unic.
 46 *L. anatifera.* L. sp. unic.
 47 *L. Mitella* L. sp. 2.
 48 *L. aurita* L. sp. unic.

Pholas.

- 49 *P. dactylus* L. sp. unic. integerr.
 50 *P. costatus.* L. sp. unic.
 51 *P. siamensis* Spengl. loc. cit. pars. 2 fas-
 1. p. 88. sp. 2 integ.
 52 *P. candidus* L. valv. unic.

- 53 *P. candidus* Var. triplo minor, sp. 2. integr.
 54 *P. pusillus* *L.* sp. unic.
 a *P.* — idem in ligno.
 55 *P. crispatus* *L.* sp. unic.
 56 *P. nova species.* Testa conica longitudina-
 liter striata, pars angustior hians, cardine
 lævi. Longit. linearī. E mari indico. sp.
 unic.

Chæna.

- 57 *C. cuneiformis* Spengl. loc. cit. pars 3.
 fasc 1. p. 22. sp. plur. qvor. 2 maxim.
 58 *C. rostrata.* ibid. p. 23. sp. 3.

Bivalvia.

Mya.

- 59 *M. truncata* *L.* sp. 1 maj. 2 min.
 a. *M. eadem cum hospite.* sp. 3.
 60 *M. arenaria* *L.* sp. unic maj. plur min.
 61 *M. anatina* sp. loc. cit. p. 31. (*Solen ana-*
tinus *L.*) sp. 2. pulcherr.

- 62 *M. guineensis* ibid. pag. 34 sp. un. integ.
 63 *M. orbiculata* ibid. pag. 38. sp. plur.
 64 *M. rostrata* ibid. pag. 42. sp. plur.
 65 *M. glycymeris* ibid. pag. 43. sp. unic.
 magnitudine 10- pollicari.
 a. *M. eadem.* Valv. unic. magnit. 12
 pollic.

Unio.

- 66 *U. margaritiferus* Retzii sp. unic.
 a. *U.* — Var. major et crassior.
 Valv. unic.
 67 *U. tumidus* R. sp. unic.
 68 *U. pictorum.* sp. 2.
 69 *U. delphinus* Spengl. loc. cit. pag. 63. e
 Holsatia, Chemn. X fig. 1650 sp. 2.
 70 *U. corrugata* sp. 2.
 a. *U.* — Var. testa crassa majori. rugis
 obsoletis, e Gallia sp. 2.
 71 *U. syrmatophora.* (*Mya syrmatophora* Gro-
 novii Zoophylac. fasc. 3. tab. X. fig. 1-2.)
 E Brasilia. sp. unic.
 72 *Uniones maturi, monstrosi, 2 majores, 2*
minores.

- a. Uniones immaturi e Norwagia 3. maj.
3 min.
b. — varii immaturi.

Solen.

73. S. Vagina. sp. 3.
a. S. Var. minor e Guinea sp. unic.
b. S. Var. minim. sp. 2.
- 74 S. rotundatus. Spengl. loc. cit. pars 3. fasc.
2. p. 86. sp. 2.
- 75 S. Siliqua L. sp. 2.
- 76 S. Ensis sp. unic.
a. S. — Var. a. Spengl. loc. cit. p.
90. sp. 3.
b. S. — Var. b. ibid. p. 91. sp. unic.
- 77 S. Legumen. sp: 2.
a. S. — Var. sp. unic.
- 78 S. lacteus. Chemn. sp. 2.
- 79 S. cultellus L. sp. 2.
- 80 S. pellucidus Pennant. tab. 46. fig. 23. sp. 2.
- 81 S. radiatus Chemn. sp. 3.
- 82 S. fasciatus Chemn. sp. 2.
- 83 S. diphos. L. sp. unic.
- 84 S. rostratus Chemn. sp. 3.

- 85 *S. strigilatus* *L.* sp. 3.
 a. *S.* — Var. Spengl. loc. cit. p. 101.
 sp. unic.
- 86 *S. rhombus* Chemn. sp. unic.
- 87 *S. guineensis*. Chemn. X. fig. 1937. sp. 2.
- 88 *S. tellinata* Spengl. loc. cit. p. 106. sp.
 unic.
- 89 *S. pictus* Chemn. sp. unic.
 a. *S.* — Var. Spengl. loc. cit. p. 109.
 sp. unic.
- 90 *S. fucatus* *ibid.* p. 111. valv. unic.
- 91 *S. minutus* *L.* sp. 3.

Tellina.

- 92 *T. Gari.* sp. 2.
 a. *T.* — Var. 6. Spengl. loc. cit. pars.
 4. fasc. 2 pag. 72. sp. 2.
 A. *T. fragilis.* sp. unic.
- 93 *T. semiplanata.* Spengl. loc. cit. p. 75. sp. 2.
- 94 *T. Spengleri.* sp. 3.
- 95 *T. rostrata.* sp. 2.
- 96 *T. Perna.* valv. unic.
- 97 *T. virgata.* *L.* sp. 2.
 a. *T.* — Var. e. Spengl. loc. cit. p. 82.
 sp. un; maj. un. minim.

- b. T. — Var. f. *ibid.* sp. unic.
- c. T. — Var. h. *ibid.* p. 83. sp. unic.
- d. T. — Var. i. testa albido-rubra, radiis violaceis. sp. 2.
- 98 T. *cruciata* Spengl. loc. cit. p. 83. sp. 2.
- 99 T. *rosea*. Chemn. vi. fig. 96? valv. unic.
- 100 T. *punicea*. Born. tab. 2. f. 8. sp. unic.
- 1 T. *fuccincta*. Born. tab. 2. fig. 9. sp. unic.
- 2 T. *Gargadia* L. sp. unic.
- 3 T. *lingua felis*. sp. unic.
- 4 T. *rugosa* Born. sp. 2.
- 5 T. *angulata*. L. sp. unic.
- 6 T.? Chemn. X. fig. 1651-1653. (an. Var. T. *Abildgaardianæ* Spengl. loc. cit. p. 90.) sp. 2.
- 7 T. *lævigata* Lin. Var? valv. unic.
- a. T. — Var. b. sp. unis. polit.
- 8 T. *radiata* sp. 2 maxim.
- a. T. — Var. min. sp. plur.
- 9 T. *edentula* Spengl. loc. cit. sp. unic.
- 10 T. *papyracea*, Lister. tab. 395. fig. 242. sp. unic.
- 11 T. *strigilata* Chemn. vi. fig. 85. sp. 3.
- 12 T. *pellucida* Spengl. loc. cit. p. 101. sp. unic.

- 113 *T. foliacea* Linn. sp. unic. pulcherr.
 14 *T. striata* Chemn. sp. unic.
 15 *T. opalina* ibid. sp. plur.
 16 *T. lanceolata* ibid. sp. 2.
 17 *T. planata* Spengl. loc. cit. p. 108. sp.
 plur. divers. magnit.
 18 *T. trifasciata* L. sp. unic.
 a. *T. færoecensis* Chemn. vi fig. 91.
 sp. 2.
 19 *T. incarnata* Linn. sp. 2.
 20 *T. balaustina* L. sp. unic.
 21 *T. donacina* L. sp. unic.
 22 *T. sabulosa*. Spengl. loc. cit. p. 114. sp.
 unic.
 23 *T. Remies*. sp. 2.
 24 *T. reticulata*. sp. unic.
 25 *T. scobinata*. sp. 2.
 26 *T. digitaria* sp. 2.
 27 *T. muricata*. sp. 2.
 28 *T. scabra* Chemn. XI. fig. 1943-1944.
 sp. unic.
 29 *T. cordiformis*. ibid. fig. 1941-1942. sp.
 unic.
 30 *T. bimaculata* sp. 2.
 31 *T. lacustris*, sp. plurim.

Cardium.

- 132 *C. costatum.* sp. 1. max. 1. med.
 a. *C.* — Var. minor. sp. unic.
- 33 *C. Cardissa.* sp. 3.
- 34 *C. roseum.* sp. unic.
- 35 *C. retusum.* sp. 3.
- 36 *C. Hemicardium* sp. unic.
- 37 *C. medium* sp. 2.
 a. *C.* — Var. sp. unic.
- 38 *C. aculeatum.* sp. unic. pulcherrimum, aculeis maximis.
 a. *C.* — Var. glabra, margine nodoso, aculeis maximis sp. unic.
- 39 *C. echinatum.* sp. 3 pulcherr.
- 40 *C. ciliatum.* Fabricii Fauna groenl. sp. 3.
 var. magnit.
- 41 *C. ciliare* sp. unic.
- 42 *C. tuberculatum* sp. unic.
 a. *C.* — Var. min- sp. 2.
- 43 *C. Isocardia.* sp. 2 pulcherr.
 a. *C.* — Var. min. sp. 2.
- 44 *C. Unedo.* sp. 2.
- 45 *C. muricatum.* sp. 2.
 a. *C.* — Var. med. sp. unic.
 b. *C.* — Var. min. sp. unic.

- 146 *C. magnum*. sp. 3.
 a. *C.* — Var. β . Sp. 2.
 b. *C.* — Var. γ . sp. 3.
- 47 *C. flavum* sp. 3.
- 48 *C. lævigatum*. sp. 1. magn. 3. min.
- 49 *C. serratum*. sp. unic.
 a. *C.* — Var. min. sp. unic.
- 50 *C. edule*. sp. unic. magn.
 a. *C.* — Var. min. sp. 3.
- 51 *C. islandicum*. sp. unic.
- 52 *C. groenlandicum*. sp. 2.
- 53 *C. glaucum?* sp. 2.
- 54 *C. Lima*. sp. 2.
- 55 *C. ringens*. sp. unic.
- 56 *C. æolicum*. sp. unic. pulcherr.
- 57 *C. oblongum*. sp. unic.
- 58 *C. crassum*. sp. 2.
 a. *C.* — Var. flava. Testa profunde
 sulcata, antice sulcis dentatis, postice
 imbricatim transverse rugosis. E Tran-
 quebaria. sp. 2.
- 59 *C. latum*. sp. unic.

Maetra:

- 60 *M. Spengleri*. sp. unic. integr.

- 161 *M. plicataria*, sp. 2.
 a. *M.* — Var. Chemn. XI, fig. 1959-1960. sp. 3.
- 62 *M. striatula* sp. 3.
- 63 *M. nova species*. Testa lævi diaphana, umbonibus lævibus, vulva latissima substriata impressa, marginata. E Brasilia, sp. unic.
- 64 *M. striata*. valv unic.
- 65 *M. corallina* sp. 3.
- 66 *M. lactea*, sp. unic.
- 67 *M. stultorum*, sp. 3.
 a. *M.* — Var. pulcherr. fusco et albo striata. valv. unic.
- 68 *M. solida*, sp. unic.
 a. *M.* — Var. tota alba. sp. 3.
 b. *M.* — Var. alba fusco marginata. sp. 2.
- 69 *M. lutraria*. sp. 2.
- 70 *M. Cygnus*. sp. 2.
- 71 *M. maculata*. sp. 3.
- 72 *M. turgida*. sp. 2.
- 73 *M. violacea*. sp. 2.
- 74 *M. cuneata*. sp. unic.
- 75 *M. glauca*. sp. unic. magnit. 5 pollic.
- 76 *M. pellucida*. sp. unic.
- 77 *M. fragilis*, sp. plur.

- 178 *M. rugosa*. sp. unic.
 79 *M. nicobarica*. sp. 2.
 80 *M. complanata*. valv. unic.
 81 *M. achatina*. Chemn. XI. fig. 1957-1958.
 sp. unic.
 82 *M. nova species*. Testa oblonga, fusco-albida, tota transversim profunde striata, striis lævibus, maculis fuscis sparsis, vulva anoque impressis, fasciis fuscis marginatis. Longit. 3 poll. Latit. 1 poll. E Tranquebaria. sp. unic.

Donax.

- 83 *D. Scortum*. sp. 3.
 84 *D. rugosa* sp. 2.
 85 *D. Trunculus*. sp. 2.
 86 *D. striata*. sp. 3.
 87 *D. denticulata*. sp. plur.
 88 *D. cuneata*. sp. 3.
 89 *D. Faba*. sp. 3.
 90 *D. scripta*. sp. plur.
 a. *D.* — Var. *maculata* sp. 2.
 b. *D.* — Var. *minor*. sp. plur.
 c. *D.* — Var. *violacea*, *immaculata*,
 margine albo. sp. unic.

- 191 *D. Irus*. sp. max. et pulcher.
 a. *D.* — Var. min. sp. 2.
- 92 *D. lævigata* Chemn. VI. fig. 249 sp. unic.
- 93 *D. spinosa*. ibid. fig. 258. sp. 2.
- 94 *D. incarnata*. ibid. fig. 259. sp. plur.
- 95 *D. nova* species. Testa leviter striata, antice prominens, natibus violaceis, colore fusco-albo, fasciis violaceis. E Tutucoryn, Coromandeliae. sp. plur.
- 96 *D. nova* species. Testa flava postice rotundata, antice rostrata, natibus profunde striatis, valvulis longitudinaliter substriatis, margine interiori dentato. Patria mihi ignota. Valv solitar.
- 97 *D.?* Chemn. X. fig. 1668-1671. Valv. 3 solitar. *Corbula* Brugiere Encyclop. methodique.

Venus.

- 98 *V. Dione* sp. 2.
- 99 *V. Paphia*. sp. 3.
 a. *V.* — Var. rugis membranaceis. sp. unic.
 b. *V.* — Var. minim. Chemn. VI. fig. 277-278 sp. unic.

- 200 *V. Marica*. sp. 3.
 a. *V.* — *minor*, *striis elevatis*, sp. 2.
 1 *V. Dysera*. sp. 2.
 2 *V. verrucosa*. sp. 2.
 3 *V. Casina*. sp. 2.
 4 *V. cancellata*. sp. 2.
 a. *V.* — *Var. minim.* sp. 3.
 5 *V. Gallina*. sp. 3.
 6 *V. flexuosa*. sp. 2.
 7 *V. Erycina*. sp. 2. max. 2. min.
 a. *V.* — *Var. (Venus costata Chemn.*
XI. fig. 1975.) sp. unic.
 8 *V. mercenaria* sp. 2.
 9 *V. islandica*. sp. 3.
 10 *V. Chione*. sp. 2.
 a. *V.* — *Var. B. (Chemn. VI. fig.*
340. valv. unic.
 11 *V. maculata*. sp. 3.
 12 *V. meretrix*, sp. unic.
 a. *V.* — *Var. Chemn, VI, fig. 351. sp. 2.*
 b. *V.* — *Var. sordide fusca, macu-*
lata. sp. plur.
 c. *V.* — *Var. min. sp. plur.*
 13 *V. læta*, sp. unic.
 a. *V.* — *Var.? Chemn. VI. fig. 376-*
377. sp. plur.

- 214 *V. castrensis*. sp. plur.
 a. *V.* — Var. *min. maculata*. sp. 2.
 b. *V.* — Var. *min. reticulata*. sp. 2.
- 15 *V. deflorata*. sp. plur.
 a. *V.* — Var. e Ceylonia.
- 16 *V. fimbriata*. sp. unic. pulcherr.
- 17 *V. reticulata*. sp. 2.
 a. *V.* — Var. *radiis distinctis*. sp. 2.
 b. *V.* — Var. *minima maculata*. sp. unic.
- 18 *V. puerpera*. sp. 2.
 a. *V.* — Var. *maxima dealbata*. sp. unic.
- 19 *V. tripla*. sp. plur.
- 20 *V. plicata*. sp. 2.
- 21 *V. rugosa*. sp. 2.
- 22 *V. granulata*. sp. unic.
- 23 *V. imbricata*. sp. 2.
- 24 *V. divaricata*. sp. 3.
- 25 *V. contraria*. sp. unic.
- 26 *V. Gallus*. sp. 3.
- 27 *V. Corbicula*. Valv. unic.
- 28 *V. hermaphrodita*. sp. unic.
- 29 *V. coaxans*. sp. unic.
- 30 *V. casta* sp. 2.
 a. *V.* — Var. *minor*. sp. plur.
- 31 *V. affinis*. sp. 2.
- 32 *V. opima*. sp. 3.

- 233 *V. triradiata*. sp. 3.
 34 *V. nebulosa*. sp. plur.
 35 *V. contemta*. sp. 2.
 36 *V. striata*. sp. 2.
 a. *V.* — *Var. min.* sp. 2.
 37 *V. textile*. sp. plur.
 38 *V. corrugata*. sp. plur. var. *magnit.*
 39 *V. monstrosa*. sp. 3.
 40 *V. ponderosa*. sp. unic.
 41 *V. fusca*. Lister *Conchyl.* tab. 423. fig. 271. sp. unic.
 42 *V. senegalensis*. Adanson. tab. 17. fig. 11. sp. unic.
 43 *V. tigrina*. sp. 2.
 44 *V. prostrata*. sp. unic.
 45 *V. pensylvanica*. sp. 2.
 a. *V.* — *Var. margine coccineo*. sp. unic.
 46 *V. spuria*. sp. 3.
 47 *V. punctata*. valv. unic.
 48 *V. exoleta*. sp. unic.
 a. *V.* — *Var. Chemn.* vi, fig. 406. sp. unic.
 49 *V. borealis*. sp. 3.
 50 *V. pectinata*. sp. 2.
 a. *V.* — *Var. fusco-maculata*. sp. unic.
 b. *V.* — *Var. minor, fusco-fasciata*, sp. unic.

- 251 *V. scripta* sp. plur. var. magnit.
 a. *V.* — Var. antice transversim sulcata.
 An nova species? sp. 2.
- 52 *V. edentula* sp. unic.
 a. *V.* — fossilis, sp. unic.
 b. *V.* — Var. min. sp. unic.
- 53 *V. concentrica*. sp. 2.
 a. *V.* — Var. min. ap. plur.
- 54 *V. juvenilis* sp. unic.
- 55 *V. histrio*. sp. unic. (Vix a Venere juvenili distincta species, potius hujus varietas.)
- 56 *V. litterata*. sp. unic.
 a. *V.* — Var. nebulosa. sp. plur. var. magnit.
 b. *V.* — Var. punctata. sp. unic.
 c. *V.* — Var. minor. Chemn. vi. fig. 364. (japonica Gmelini). sp. unic.
- 57 *V. rotundata*. sp. unic.
- 58 *V. decussata*. sp. 3.
 a. *V.* — Var. radiata. sp. 2.
- 59 *V. virginea*. sp. plur.
 a. *V.* — Var. Chemn. vii. fig. 458. sp. 2.
- 60 *V. fluminalis*. ibid. fig. 320. sp. unic.
- 61 *V. fluviatilis*. ibid. fig. 321. sp. 2.
 a. *V.* — Var. minima e Groenlandia. sp. unic.

- 262 *V. fluminea* ibid. fig. 322-323. sp. 3.
- 63 *V. badia*. Chemn. xi. fig. 1978. sp. 2.
- 64 *V. corrugata*. ibid. vii. fig. 410-411.
sp. 3.
- 65 *V. dispar*. ibid. xi. fig. 1981. sp. plur.
- 66 *V. æquivoca*. ibid. xi. fig. 1980. sp.
unic.
- 67 *V. chinensis*. ibid. xi. fig. 1976. sp. unic.
- 68 *V. recens*. ibid. xi. fig. 1979 sp. 2.
- 69 *V. paupercula*. ibid. xi. fig. 1977. sp.
unic.
- 70 *V. cordialis*. Chemn. nov. species.
- 71 *V. nova species*. sp. unic.
- 72 *V. nova species*. sp. unic.
- 73 *V. ovata* Penn. Brit. Zool. tom. 4. tab.
16. fig. 16. sp. plur.
- 74 *V. non descripta*. Testa rotundata tumida,
sulcis transversis elevatis, ano cordato,
rima ampla aperta. Colore albo fusco trans-
verse variegata, natibus albis; magnitudine
 $1\frac{1}{2}$ pollicari. E Guinea. sp. unic.
- 75 *V. non descripta*. Testa subovata tumida
fusca albo radiata, transversim subtiliter
striata, vulva ovata, natibus elevatis. Ex
India orientali (*V. meretrici* affinis) sp.
unic.

Spondylus.

- 276 S. Gædaropus L. Chemn. VII. fig. 459.
 sp. unic.
- a. S. — Var. β. ibid. Vign. 9. fig. a.
 b. sp. 3.
- b. S. — Var. γ. ibid. Vign. 9. fig. c.
 sp. 2.
- c. S. — Var. δ. ibid. fig. 460. spec. 2,
 quorum unum pulcherrimum, spinos-
 simum, spinis integerrimis.
- d. S. — Var. ε. ibid. fig. 461-462. sp. 2.
- e. S. — Var. ζ. ibid. fig. 463. sp. 2.
 integerrima.
- f. S. — Var. η. ibid. fig. 464. sp. 2.
- g. S. — Var. ead. sp. jun. testa radiatim
 aculeata sp. unic.
- h. S. — Var. θ. ibid. fig. 465. sp. 2.
 pulcherrim.
- i. S. — Var. ο. ibid. fig. 476. sp. unic.
 aculeis detritis.
- k. S. — Var. n. descr. Testa alba, ma-
 culis in valvula superiori quadratis,
 coccineis, radiatim dispositis, radiis
 spinis confertis. Longit. pollic. latitud.
 semipollicar. In Lepade ex Ind. orient.

- l. S. — Var. ead. major (adulta, parte inferiori violacea.
 m. S. — Var. *vv.* Chemn. ix. fig. 984. sp. unic.
 n. S. — Var. *ξξ*: ibid. fig. 985-986. sp. unic.
 o. S. — Var. *oo.* ibid. fig. 987. sp. unic.
 p. S. — Var. *ςς.* ibid. fig. 991. sp. unic.
 277 S. plicatus. Chemn. sp. 3.

Chama.

- 78 C. Cor. sp. 3.
 79 C. Gigas. sp. un. lat. 9. poll. squamis integr. sp. alt. minus.
 a. C. — Var. minima. lat. bipollic. sp. unic.
 b. C. — Var. Chemn. xi. fig. 1997-1998. sp. unic.
 c. C. — Var. squamis imbricatis latitud. 6 pollic. sp. un.
 d. C. — Var. ead minor. sp. unic.
 80 C. Hippopus. sp. 2.
 a. C. — Var. min. sp. unic.
 81 C. antiquata. sp. 3.

- 282 *C. trapezia*. sp. 3.
 83 *C. calyculata*. s. 3.
 84 *C. cordata*. *Var. reniformis* Gmel, Syst
 Nat. 3301. sp. un.
 85 *C. oblonga* Chemn. xi. fig. 1993-1994.
 sp. unic.
 86 *C. Lazarus*. sp. pulcherr. unic.
 a. *C. — Var. lamellis detritis*, sp. unic.
 87 *C. gryphoides*. sp. 3.
 88 *C. bicornis*. sp. unic.
 89 *C. Arcinella*, sp. 2.
 90 *C. concamerata*. sp. plur.
 91 *C. macerophylla*. sp. 2.
 92 *C. foliacea*. sp. 3.
 93 *C. squamosa*. Chemn, xi. fig. 1995.1996
 sp. 2.
 94 *C. gryphica*. Linn, Mantiss. valvulis so-
 litariis.

Arca.

- 295 *A. tortuosa* sp. 3.
 96 *A. Noæ*. sp. max. unic. (*Arc. magellani-*
ca Chemn. VII. fig. 539.
 a. *A. — spec. vulg.* 3.

- b. A. — Var. Gualt. Test. fig. G.
- 97 A. barbata. sp. 3.
- 98 A. — Var. imberbis. sp. 3.
- 98 A. Modiolus Chemn. (Var. A. ovata?)
sp. 3.
- 99 A. Pella. sp. 2.
- 300 A. ovata. sp. 2.
- 01 A. rostrata. sp. unic. maj. min. plur.
- 02 A. minuta. sp. plur.
- 03 A. lactea. sp. 3.
- 04 A. antiquata. sp. 2.
- a. A. — Var. barb. sp. 2.
- b. A. — Var. sulcis elevatis. sp. unic.
- c. A. — Var. ead. min. sp. 3.
- 05 A. senilis sp. mac. 2.
- a. A. — Var. brunneo-fusca, major. sp. 2.
- b. A. — Var. med. sp. 2.
- c. A. — Var. minim. sp. unic.
- 09 A. granosa. sp. 3.
- a. A. — Var. min. Chemn. VII. fig. 559
sp. 2.
- 07 A. decussata. sp. 3.
- a. A. — Var. min. sp. unic.
- 08 A. æquilatera. sp. unic.
- 09 A. Cucullus. sp. 3.

- a. *A.* — Var. Chemn. VII. fig. 528. sp. unic.
- 10 *A. reticulata.* sp. unic.
a. *A.* — Var. minim. sp. plur.
- 11 *A. candida.* sp. plur.
- 12 *A. undata.* sp. 2 polita.
- 13 *A. Pectunculus.* sp. 2.
a. *A.* — Var. minor. sp. 2.
- 14 *A. pectinata.* sp. 3.
- 15 *A. Glycymeris.* sp. 3.
- 16 *A. pilosa.* sp. 3.
- 17 *A. nummaria.* sp. unic.
- 18 *A. nucleus.* sp. plur.
- 19 *A. rhomboidea.* sp. plur.
- 20 *A. multistriata.* Chemn. VII. fig. 573. sp. 3.
- A. A. nodulosa.* Mull. Zool. Dan. prodrom. n. 2984. sp. 2.

Perna.

- 322 *P.* (Cuvier Tableau elem. de l'hist. nat. des anim. p. 121.) Genus omnino distinctum. Cardo edentulus, fossulis plurimis longitudinalibus paralellis. Ex *Ostreis* Linnei.

- P. *Ephippium*. sp. 2.
 a. P. — Var. min. sp. unic.
 23 P. *mytiloides* Chemn. VII. fig. 575. sp. unic.
 24 P. *semiaurita*. ibid. fig. 579. 580. sp. plur.
 25 P. —? præcedenti affinis. Testa striata inæquilatera. E. Nicobar. sp. plur.
 26 P. *Isognomum*. Chemn. VII. fig. 582.
 a. P. — Var. ibid. fig. 583. sp. unic.

Ostrea.

- 327 O. *maxima* sp. unic.
 a. O. — petrefact. sp. max. e Gallia.
 28 O. *jacobæa*, sp. 2.
 29 O. *Zicrac*. sp. 3.
 30 O. *Pleuronectes*. sp. plur. var. magnit.
 31 O. *radula*, sp. 2.
 a. O. — Var. minim. sp. plur.
 32 O. *imbricata*. sp. plur.
 33 O. *Plica*. sp. plur.
 34 O. *Pallium*, sp. unic.
 35 O. *nodosa* sp. unic.
 36 O. *pes felis*. sp. unic.
 37 O. *pellucens?* sp. plur.

- 38 *O. sanguinea* sp. plur. var. magn.
 39 *O.* — Var *violacea*. sp. unic.
 40 *O. varia*. sp. plur.
 41 *O. pusio*. sp. 2.
 42 *O. glabra*. sp. plur.
 43 *O. opercularis*. sp. 3.
 a. *O.* — Var. *min.* sp. plur.
 44 *O. gibba* sp. plur.
 45 *O. histrionica*. sp. 2.
 46 *O. islandica*. sp. 2.
 a. *O.* — Var. *min.* sp. plur.
 47 *O. triradiatus* Mull. Zool. Dan. tab. 60.
 fig. 1. 2. sp. plur.
 48 *O. senatoria*. sp. 2.
 49 *O. sulphurea*. sp. unic.
 50 *O. porphyria*. sp. 2.
 51 *O. vitrea*. sp. 3.
 52 *O. tranquebarica*. sp. plur.
 53 *O. danica*. Chemn. XI. fig. 2043. sp.
 plur.
 54 *O. reticulata* ibid. fig. 2039. 2040. sp.
 unic.
 55 *O. exotica* ibid. fig. 2037. 2038. sp. unic.
 56 *O. Pes Lutræ* D'Argenville tab. 27. fig.
 fig. A. sp. unic.
 57 *O. inflata* sp. plur.

- 58 O. Lima. sp. 3.
 59 O. glacialis. sp. 3
 60 O. excauata. valv. unic.
 61 O. Malleus. sp. 2. maxim. pulcherr.
 a. O. — *Var.* alba. sp. unic.
 b. O. — *Var.* uniaurita. sp. 2.
 62 O. Vulfella. sp. plur.
 63 O. anatina. sp. 3.
 64 O. diluviana (fossilis.) sp. unic.
 65 O. Folium. sp. plur.
 66 O. edulis sp. 2.
 67 O. fornicata. sp. unic.
 68 O. Forskählii. valv. unic.
 69 O. rostrata. sp. unic.
 70 O. virginica. sp. un. max.
 71 O. cornucopiæ. sp. unic.
 72 O. parasitica. valv. unic.

Anomia.

- 373 A. craniolaris. sp. plur.
 74 A. pectinata. sp. unic.
 75 A. Ehippium. sp. 3.
 76 A. electrica. sp. 2.
 77 A. squamula. sp. plur.

A. A. ænigmatica. Chemn. XI. fig. 1949.

1950. sp. 3.

- 78 *A. scobinata*. sp. 2.
 79 *A. Gryphus* (fossilis) sp. unic.
 80 *A. striatula*. sp. unic.
 81 *A. truncata*. sp. 3.
 82 *A. reticularis* (fossilis.) sp. unic.
 83 *A. plicatella* (fossilis.) sp. unic.
 84 *A. lacunosa* (fossil.) sp. plur.
 85 *A. Caput serpentis*. sp. plur.
 86 *A. Terebratula* (fossilis.) sp. unic.
 87 *A. Placenta*. sp. 2 maj. un. med. d. un.
 min.
 88 *A. Sella*. sp. 2. pulcherr.
 89 *A. punctata*. sp. 2.
 90 *A. undulata*. sp. 3.
 91 *A. capensis*. sp. plur.
 92 *A. vitrea*. sp. plur.
 93 *A. dorifata*. sp. 2.
 94 *A. psittacea*. sp. 2.
 95 *A. tridentata*. sp. unic. pulcherr.
 96 *A. Nucleus*. sp. unic.

Mytilus.

- 397 *M. Crista Galli*, sp. 3.

- 398 M. Hyotis. sp. unic.
 99 M. Frons. sp. 2.
 400 M. margaritiferus sp. plur.
 a. M. — *Var squamosa*. sp. 2.
 01 M. lithophagus. sp. 2.
 a. M. — *Var. minima*. sp. plur.
 b. M. — *Ver.* (M. cinnamomeus Chemn. VIII. fig. 732.) idem cum M. vulgari Gmel. Syst. Nat. pag. 3358. sp. plur.
 02 M. bilocularis. sp. plur.
 a. M. — *Var.* Chemn. VIII. fig. 737. 1-3 sp. unic.
 03 M. exustus. sp. 3.
 04 M. barbatus. sp. unic.
 05 M. edulis sp. unic. max. e Norwagia.
 a. M. — *Var vulgar.* sp. 3.
 b. M. — *Var. fasciis albis e Grönlandia.* sp. 2.
 c. M. — *monstrosus basi truncata.* sp. unic.
 06 M. ungulatus. sp. 2.
 a. M. — *Var.* (M. afer Chemn. VIII. fig. 739-741.) sp. plur.
 b. M. — *Var.* (M. perviridis Chemn. XI. fig: 2027.) sp. 2.
 07 M. bidens. sp. plur.

- 408 M. Modiolus. sp. plur. variæ. magnitudi-
nis.
- a. M. — *Var. natibus coccineis (polita.)*
sp. un.
- 09 M. cygneus. sp. 2.
- a. M. — *Var. eChina.* sp. un.
- 10 M. anatinus. sp. 3.
- 11 M. discors. sp. 2 maj. plur. minim.
- 12 M. Hirundo. sp. plur.
- a. M. — *Var. min. alata.* sp. plur.
- b. M. — *Var. (M. avicular. Chemn. XI.*
fig. 2025-2026.) sp. 2.
- c. M. — *Var. Chemn. VIII. fig. 726.* sp. 2.
- d. M. — *Var. ibid. — fig. 727.* sp. 3.
- 13 M. Pholadis. sp. plur.
- 14 M. striatulus (*Var. M. bilocularis?*) sp. un.
- 15 M. plicatus. sp. unic.
- 16 M. viridis. Linn. sp. plur.
- 17 M. coralliophagus. sp. unic.
- 18 M. lineatus. sp. 2.
- 19 M. Faba. sp. plur.

Pinna.

- 20 P. rudis. sp. 3. maj. t. minima.

- a. P. — *Var. β.* squamis canaliculato-
tubulosis per series digestis. sp. unic.
- 421 P. pectinata. sp. 2.
a. P. — *Var. β.* sp. 3. var. magnit.
- 22 P. nobilis. sp. 2.
a. P. — *Var. γ.* sp. unic.
- 23 P. muricata. sp. 3.
- 24 P. squamosa. sp. 3.
- 25 P. saccata. sp. 2.
a. P. — *Var.* Rumph. tab. 46. fig. N.
sp. unic.
- 26 P. vitrea. sp. unic.
- 27 P. incurva. sp. 2.
- 28 P. bicolor. sp. 2.
- 29 P. maxima (*Var. rudis?* longit. 2 pedali)
sp. 3.
- A. P. unguis (*Patella unguis* Linn.) sp.
plur.

Univalvia.

Argonauta.

- 430 A. Argo. Martin. I. fig. 156. sp. unic.
a. A. — *Var. γ.* sp. 2. maj. I minim.

- b. A. — *Var. δ. sp. unic.*
 A. A. Cornu. sp. 2.

Nautilus.

- 431 N. Pompilius. sp. plur.
 a. N. — *Var. minim. sp. 2.*
 32 N. Spirula. sp. plur.

Conus:

- 433 C. marmoratus. sp. 3. maxim.
 a. C. — *Var. β. Gmel. sp. 3.*
 b. C. — *Var. ead. fasciis distinctis. sp. 2.*
 c. C. — *Var. pallida. sp. 2.*
 34 C. imperialis sp. 3. magna. 2 min.
 a. C. — *Var. γ. Gmel. sp. plur.*
 35 C. litteratus. sp. 3. max.
 a. C. — *Var. fasciata. sp. 2.*
 b. C. — *Var. fasciis distinctissimis. sp. 2.*
 c. C. — *Var. minim. sp. 3.*
 d. C. — *Var. β. Gmel. spira convexa,
 anfractibus distinctis sp. 2.*

- e. C. — Var. macularum serie confluenti. sp. unic.
- 436 C. Generalis. sp. 2. pulcherr.
- a. C. — Var. Martin. II. fig. 647. sp. 2.
- b. C. — Var. β . Chemn. x. fig. 1301-1303. sp. 3.
- 37 C. Virgo. Chemn. VII. fig. 586. sp. plur.
- a. C. — Var. γ . sp. plur.
- b. C. — Var. ϵ . sp. un. polit.
- 38 C. Capitaneus. sp. 3.
- a. C. — Var. min. sp. 3.
- b. C. — Var. θ . sp. plur.
- c. C. — Var. Chemn. XI. fig. 1764-1765. sp. 3.
- d. C. — Var. non desig. Spira convexa, testa maculata, fusco-flava, fascia terminali et media albida, utrinque punctis fuscis marginatis. Magnit. 4 poll. Patria mihi ignota.
- e. C. — Var. ι . sp. 2. max.
- 39 C. Miles. sp. 2. maj. 2. min.
- 40 C. Princeps. Chemn. x. tab. 144. A. fig.
- a. b. sp. 2. pulcher.
- a. C. — Var. radiis confluentibus. sp. un.
- b. C. — Var. Chemn. XI. fig. 1786-1787. sp. un.

- 441 *C. Ammiralis summus*. sp. 2. pulcherr.
 quor. unum. longit. 2 poll. latit $1\frac{1}{2}$ poll.
 a. *C. — occidentalis*. sp. 3. magn.
 b. *C. — surinamensis*. sp. unic.
- 42 *C. Vicarius*. sp. 2.
- 43 *C. Senator*. sp. unic.
- 44 *C. nobilis*. Chemn. x. fig. 1313-1314.
 sp. unic
- 45 *C. genuanus*. sp. 2. maj. 2. minor.
 a. *C. — Var. (Ala papilionis)* sp. unic.
- 46 *C. glaucus*. sp. unic.
- 47 *C. monachus* sp. unic.
 a. *C. — Var. β* . sp. unic.
- 48 *C. minimus*. sp. plur.
- 49 *C. rusticus*. Var. β . sp. 3.
- 50 *C. mercator*. sp. 2. maj. 3. min.
 a. *C. — Var. monstrosa*, labio tumido.
 sp. unic.
 b. *C. — Var. Martin*. II, fig. 621. sp.
 unic.
- 51 *C. betulinus*. sp. plur. var. magnit.
- 52 *C. figulinus*. sp. plur. var. magnit.
 a. *C. — Var. Martin*, II, fig. 657.
 sp. 2.
- 53 *C. ebraeus*. sp. 3.
 a. *C. — Var. β* . sp. 2.

- 454 *C. stercus muscarum*. sp. 2.
 a. *C.* — *Var. γ.* sp. 3.
 b. *C.* — *Var. β.* Mart. II. fig. 698. sp. unic.
- 55 *C. varius*. sp. 3.
 a. *C.* — *Var.* Chemn. x. fig. 1284. sp. 2.
- 56 *C. achatinus*. sp. unic.
 a. *C.* — *Var. δ.* sp. unic.
- 57 *C. leoninus*. Mart. II. fig. 606. sp. unic.
 a. *C.* — *Var.* *ibid.* fig. 603. sp. 2.
 b. *C.* — *Var. λ.* sp. 2.
 c. *C.* — *Var. μ.* sp. 2.
- 58 *C. jaspideus*. sp. plur.
- 59 *C. Coffeæ*. sp. unic.
- 60 *C. Amadis*. sp. 3.
 a. *C.* — *Var.* Chemn. x. fig. 1322-1323 sp. unic.
- 61 *C. arachnoideus*. sp. 2.
 a. *C.* — *Var.* *anfractibus distinctis elevatis.* sp. un.
 b. *C.* — *Var. δ.* sp. 3.
 c. *C.* — *Var.* *præcedenti affinis, fasciis distinctissimis.* sp. 3.
 d. *C.* — *Var.* Chemn. x. fig. 1297. (L'admiral de Rumphius) sp. unic.
 e. *C.* — *Var.* Chemn. x. fig. 1290-1291. sp. unic.

- 462 *C. leucostictus*. sp. 3. maj. 1 minim.⁴
- 63 *C. coronatus*. Mart. II. fig. 709. sp. plur.
- 64 *C. lapideus* Chemn. x. fig. 1286 - 1288.
sp. plur.
- 65 *C. punctatus*. Martin. II. fig. 641. sp. 3.
(Knorr VI. tab. 13. fig. 6)
- 66 *C. zeylanicus*. sp. unic.
- 67 *C. Nussatella*. sp. plur.
a. *C.* — Var. *pallida*, striis lævioribus sp. 2.
- 68 *C. Clavus*. sp. 3.
a. *C.* — Var. Mart. II. fig. 570.
- 69 *C. Terebellum*. sp. 2 maj. 2 min.
a. *C.* — Var. sp. unic.
- 70 *C. fusus*. sp. 2.
- 71 *C. granulatus*. sp. 2.
- 72 *C. arauciacus*. Var. β . sp. unic.
- 73 *C. magus*. sp. 3.
a. *C.* — Var. Chemn. x. fig. 1296. sp. unic.
- 74 *C. striatus*. sp. 3.
a. *C.* — Var. min. sp. 2.
b. *C.* — polit. sp. 2.
- 75 *C. Textile*. sp. 3.
a. *C.* — Var. min. sp. 2.
b. *C.* — Var. minim. sp. 2.

- c. C. — *Var. Chemn. x. fig. 1324.*
1325. sp. 2.
- d. C. — *Var. Martin. II. fig. 599. sp. 2.*
- e. C. — *Var. β . sp. unic.*
- f. C. — *Var. γ . sp. 2.*
- 476 C. *aulicus. sp. 3.*
- a. C. — *Var. α . sp. unic.*
- b. C. — *Var. β . sp. 3.*
- c. C. — *Var. Chemn. x. fig. 1328.*
sp. unic.
- d. C. — *Var. Martin. II. fig. 593. 594.*
sp. 2.
77. C. *Thomæ. sp. unic.*
- a. C. — *Var. β . (distincta species?)*
sp. unic.
- 78 C. *Spectrum. sp. 2.*
- 79 C. *bullatus. sp. unic.*
- 80 C. *Tulipa. sp. 2.*
- 81 C. *Geographus. sp. 3. max.*
- a. C. — *Var. min. sp. 2.*
- 82 C. *Vexillum (distans Solandri) Var. Ca-*
pitanei? sp. unic. max.
- a. C. — *Var. min. sp. 2.*
- 83 C. *costatus Chemn. XI. fig. 1745 - 1747.*
sp. 3.
- 84 C. *nov. spec. Testa luteo-fusca, punctis*

sparfis fuscis, fascia media alba, spira
elevata, maculis fuscis. — Patria mihi
ignota. sp. 2.

- 485 *C. mediterraneus* Encycl. method. Livrais.
XLVIII. p. 701. No. 91 sp. plur.
86 *C. nov. spec.* Chemn. x. tab. 144. A. fig.
m. n. sp. unic.
87 *C. australis.* Chemn. xi. fig. 1774. 1775.
sp. 2.
88 *C. elongatus.* Chemn. x. tab. 144. A. fig.
i. k. sp. 3.
89 *C. tenellus.* Chemn. xi. fig. 1782. 1783.
sp. unic.

C y p r æ a.

- 490 *C. Exanthema.* sp. 3. max.
a. *C.* — Var. min. sp. 2.
b. *C.* — Var. fascia elevata. sp. unic.
91 *C. Mappa.* sp. 3.
92 *C. arabica* sp. 3. max.
a. *C.* — Var. min. sp. 2.
93 *C. Argus.* sp. 3.
a. *C.* — Var. Chemn. x. fig. 1344. 1345.
sp. unic.
94 *C. testudinaria.* sp. 2.

- 495 *C. stercoraria*. sp. 3.
 a. *C.* — Var. Chemn. x. fig. 1333.
 sp. unic.
- 96 *C. Carneola*. sp. 3.
- 97 *C. Zebra*. sp. 3.
 a. *C.* — Var. fusco-nigra, fasciis distinctissimis fuscis. sp. unic.
- 98 *C. Talpa*. sp. 3.
- 99 *C. lurida*. sp. plur.
- 500 *C. lota*. sp. plur.
- 1 *C. fragilis*. sp. 3. max.
- a. *C.* — Var min. sp. 3.
- 2 *C. cinerea*. sp. unic.
- 3 *C. Cervus*. Linn. Mantiff. Chemn. x. fig. 1343. sp. 3. qv. un. max.
- 4 *C. Histrio*. sp. 3.
- 5 *C. sanguinolenta*. sp. plur.
- 6 *C. Regina*. sp. unic.
- 7 *C. undulata*. sp. 2.
- 8 *C. Caput serpentis*. sp. plur.
- 9 *C.* non descript: præcedentis affinis. Testa gibba, dorso ferrugineo, fasciis albis, lateribus fuscis, subtus sordide alba. (White mouth carnelian Cowry.) — Ex Otaheite. sp. unic.
- 10 *C. mauritiana*. sp. 3.

- a. *C.* — Var. tota fusca, sp. unic.
 b. *C.* — Var. maculis distinctissimis.
 sp. 2.
- 511 *C.* Vitellus, sp. unic.
 12 *C.* Mus, sp. 2.
 13 *C.* Tigris, sp. 3. max. pulcherr.
 a. *C.* — Var. ferruginea, maculis fuscis.
 sp. 2.
- 14 *C.* Lync, sp. 2.
 15 *C.* Isabella, sp. 3.
 a. *C.* — Var. lituris nigris, sp. 3.
- 16 *C.* clandestina, sp. plur.
 17 *C.* Ziczac, sp. 3.
 18 *C.* Hirundo, sp. plur.
 19 *C.* Asellus, sp. plur.
 20 *C.* erronea, sp. 3.
 21 *C.* ursellus, sp. plur.
 22 *C.* Pyrum, sp. 3.
 23 *C.* pulla, sp. 3.
 a. *C.* — Var. Chemn. x. fig. 1341, sp. plur.
- 24 *C.* Ovum, sp. 3.
 25 *C.* atomaria, sp. plur.
 26 *C.* cribraria, sp. 3.
 a. *C.* — Var. minim, sp. 3.
- 27 *C.* Moneta, sp. 3. maxima.
 28 *C.* Annulus, sp. 3.

- 529 *C. caurica*. sp. plur.
 30 *C. spuria*. L. sp. 3.
 31 *C. stolidus* Mus. Cas. Born. tab. VIII. fig.
 15. sp. unic.
 32 *C. helvola*. sp. plur. var. magnit.
 33 *C. ocellata*. sp. plur.
 34 *C. poraria*. sp. plur.
 35 *C. Pediculus*. sp. plur.
 a. *C.* — Var. (*C. costata* Gmel.) Knorr
 Vergn. vi. tab. 15. fig. 7. — sp. 2.
 e. Cap. b. sp.
 36 *C. Nucleus*. sp. 3.
 37 *C. Staphylea*. sp. plur.
 38 *C. Cicercula*. sp. 2.
 39 *C. Globulus*. sp. 3.

B u l l a:

- 540 *B. Ovum*. sp. 3. max.
 a. *B.* — Var. gibba) *B. imperialis* So-
 landri. Humphrey Catalog. No. 195.
 sp. 2.
 41 *B. Volva*. sp. 2. pulcherr.
 a. *B.* — Var. dealbata, glabra, ventri-
 cosa, rostris abbreviatis. sp. unic.
 42 *B. birostris*. sp. unic.

- 543 B. *Spelta*. sp. unic.
- 44 B. *verrucosa*. sp. 3.
- 45 B. *gibbosa*. sp. 3.
a. B. — Var. *pallid*, min. sp. 2.
- 46 B. *Naucum*. sp. 3.
- 47 B. *aperta*. sp. plur. var. *magnit*.
- 48 B. *Ampulla*. sp. 3.
a. B. — Var. *media*. sp. 3.
b. B. — Var. *minim*. sp. 3.
- 49 B. *lignaria*. sp. 2.
- 50 B. *Mysalis*. sp. 3.
- 51 B. *Amplustra*. sp. unic.
- 52 B. *Ficus*. sp. plur. var. *magnit*.
a. B. — Var. *fasciata*. sp. unic.
b. B. — Var. *distinctissime reticulato-striata*. sp. 2.
- 53 B. *Rapa*. sp. 3.
a. B. — Var. β . sp. 2.
- 54 B. *hypnorum*. sp. 3.
a. B. — Var. *major* Chemn. ix. fig. 882. c. sp. 2. ex Otaheite. — (an distincta species?)
- 55 B. *gelatinosa*. sp. plur.
- 56 B. *Terebellum*. sp. plur.
a. B. — Var. β . sp. unic.
- 57 B. *Cypræa*. sp. 3.

- 558 B. *virginea*. sp. 2.
 59 B. *fasciata*. sp. unic.
 60 B. *Zebra*. sp. 2. pulcher. max.
 a. B. — sp. 2. magn. pallid.
 b. B. — sp. 3. minor. pallid.
 61 B. *achatina*, fusca maculis longitudinalibus
 nigris. sp. 3. magn.
 a. B. — fusco-viridis, ore purpureo. sp.
 3. max.
 b. B. — Var. min. sp. 3.
 62. B. *flammea* Chemn. ix. fig. 1024. 1025.
 (male picta) testa reticulatim striata,
 maculis longitudinalibus undatis. sp. 3.
 (species omnino distincta)
 63 B. *Velum*. sp. 3.
 a. B. — Var. fasciis fuscis latioribus.
 sp. unic.
 64 B. nova species præcedenti affinis, fasciis
 fuscis quatuor, latis, paralellis. E
 Tranquebaria. sp. unic.

Voluta.

- 565 V. *Auris Midæ*. sp. un.
 66 V. *flamea*. sp. unic.

- 567 V. Auris Judæ. sp. 2.
- 68 V. Auris Malchi. Chemn. ix. fig. 1039.
1040. sp. unic.
- a. V. — Var. ibid. fig. 1041. sp. unic.
- 69 V. Auris vulpina. Chemn. xi. fig. 2086.
2087. sp. 2.
- 70 V. tornatilis. sp. 2.
- 71 V. solidula. sp. plur.
- a. V. — Var. (Auris Cati Chemn. xi.
fig. 1711. 1712. sp. plur.
- 72 V. Coffea. sp. unic.
- a. V. — Var. fasciata. sp. plur.
- b. V. — Var. transversim striata, fasciis
plurimis pallidis. sp. 2. ex Oceano
australi.
- 73 V. porphyria. sp. 3. pulcherr.
- 74 V. Oliva. Var. α. sp. 3.
- a. V. — Var. ε. sp. unic.
- b. V. — Var. θ. sp. 2.
- c. V. — Var. η. sp. 2.
- d. V. — Var. ρ. Martin. ii. fig. 480. 481.
sp. 3.
- e. V. — Var. Martin. ii. fig 503. 504.
sp. 3.
- f. V. — Var. ibid. fig. 563. sp. unic.
- g. V. — Var. σ. sp. unic.

- h. V. — Var. Martin. II. fig. 522. 523.
 sp. plur.
 i. V. — Var. Chemn. x. fig. 1373. sp. 3.
 k. V. — Var. ibid. fig. 1378. sp. 2.
 l. V. — Var. Martin. II. fig. 476. 477.
 sp. 3. quorum duo fasciat.
 475 V. Utriculus. sp. 3.
 a. V. — Var. η . sp. 3.
 b. V. — Var. Chemn. x. fig. 1367.
 1368. sp. 2.
 c. V. — Var. fusca maculis albis. sp. 2.
 76 V. hiatula (ringens Solandri) sp. plur.
 77 V. Ispidula. sp. 3.
 a. V. — Var. Martin. II. fig. 491. sp. 2.
 78 V. Dactylus. sp. 2.
 79 V. exilis. sp. plur.
 80 V. Perficula. sp. plur.
 a. V. — Var. β . sp. 3.
 81 V. pallida. sp. 3.
 a. V. — Var. minim. sp. plur.
 82 V. Faba. sp. 3.
 83. V. glabella. sp. 3. max.
 a. V. — Var. minim. sp. plur. var. pictur.
 84 V. reticulata. sp. 3.
 85 V. Turricula. hemn. IV. fig. 1398. sp. 3.
 86 V. mercatoria. sp. plur.

- 587 *V. rustica.* sp. plur.
 88 *V. paupercula.* sp. 3.
 89 *V. mendicaria.* sp. plur.
 a. *V.* — Var. fascia unica alba. sp. 2.
 90 *V. cancellata.* sp. 3.
 91 *V. marginata* (tota alba) sp. 3.
 92 *V. Porcellana.* sp. plur.
 93 *V. Cornus.* sp. unic.
 94 *V. Tringa.* sp. 3.
 95 *V. Cornicula.* sp. plur.
 96 *V. Virgo.* sp. 3.
 97 *V. scabricula.* sp. unic.
 98 *V. ruffina.* sp. 2.
 99 *V. sanguisuga.* sp. 2.
 600 *V. caffra.* sp. plur.
 1 *V. Vulpecula.* sp. 3.
 2 *V. plicaria.* sp. 2.
 3 *V. bullata.* sp. plur.
 4 *V. crenulata.* sp. 2.
 5 *V. scutulata.* sp. 3.
 6 *V. nigra.* sp. 3.
 7 *V. subdivisa.* sp. unic.
 8 *V. exasperata.* sp. 3.
 9 *V. maculosa.* sp. plur.
 10 *V. nodulosa.* sp. plur.
 11 *V. spadicea.* sp. plur.

- 612 *V. aurantia*. sp. 3.
 13 *V. acuminata*. sp. plur.
 14 *V. sulcata*. sp. unic.
 15 *V. turrita*. sp. 3.
 16 *V. Ziervogelii*. sp. unic.
 17 *V. Cardinalis*. sp. 2.
 18 *V. episcopalis*. sp. un. max. et alter. mi-
 nim. labris denticulatis.
 a. *V.* — sp. 2. labris detritis.
 19 *V. papalis*. sp. 3. max.
 a. *V.* — Var. β . sp. 3.
 20 *V. patriarchalis*. Var. β . sp. 2.
 21 *V. anguluta* Chemn. iv. fig. 1325. sp. unic.
 22 *V. mufica*. sp. 3.
 a. *V.* — Var. δ . sp. plur.
 b. *V.* — Var. Chemn. xi. fig. 1717. 1718.
 sp. un.
 c. *V.* — fossilis. Chemn. xi. fig. 3006.
 3007. sp. un.
 23 *V. Vespertilio*. sp. plur.
 a. *V.* — Var. spinis obtusis. sp. 3.
 24 *V. hebræa*. sp. 3. var. magnit.
 25 *V. turbinellus*. sp. un. max. 3. med.
 26 *V. Capitellum*. sp. 2.
 a. *V.* — sp. 3. detrit.
 27 *V. Pyrum*. sp. 3. maxima

- a. *V.* — sp. 3. med.
 b. *V.* — sp. 3. minim.
- 628 *V. lapponica.* sp. 2
 a. *V.* — Var. punctato-fasciata, sp. 3.
- 29 *V. Vexillum.* sp. 2. pulcherr.
 30 *V. rupestris.* sp. 3.
 31 *V. Nassa.* sp. 3.
 a. *V.* — Var. (echinata Chemn. xi. fig. 1151. 1152) sp. unic.
- 32 *V. magellanica.* sp. unic. max. 3. minor.
 33 *V. filosa.* sp. 3.
 34 *V. fuscata.* sp. unic.
 35 *V. œthiopica.* sp. plur. var. magnit.
 36 *V. Cymbium.* sp. 2. max.
 a. *V.* — Var fusco-maculata. sp. plur. var. magn.
 b. *V.* — Var spira depressa concava marginata. sp. unic.
- 37 *V. Olla.* sp. plur. var. magnit.
 a. *V.* — pullus. (*V. præputium* Linn.) sp. plur.
- 38 *V. Neptuni.* sp. 3.
 39 *V. Navicula.* sp. 2.
 40 *V. papillaris.* sp. 3.
 41 *V. indica.* sp. plur var. magnit.

Buccinum.

- 642 *B. Olearium*. sp. 3.
 43 *B. Galea*. sp. max.
 44 *B. Perdix*. sp. 3
 45 *B. Pomum*. sp. 3.
 a. *B.* — Var Chemn. xi. fig. 1791-1793.
 sp. unic.
 46 *B. Dolium*. sp. un. max.
 a. *B.* — sp. 3. media.
 b. *B.* — sp. 2. minim.
 c. *B.* — Var. transversim striata. sp. 3.
 d. *B.* — Var. Chemn. xi. fig. 1804. 1805.
 sp. unic.
 47 *B. echinophorum*. sp. 3.
 48 *B. plicatum*. sp. 2.
 49 *B. cornutum*. sp. plur. var. magnit.
 50 *B. rufum*. sp. 3. max.
 a. *B.* — sp. 2. minor.
 b. *B.* — pullus. apertura lævi. sp. 2.
 51 *B. tuberosum*. sp. un. giganteum, plur. min.
 52 *B. flammeum*. sp. 3.
 53 *B. testiculus*. sp. plur. var. magnit.
 54 *B. decussatum*. sp. plur. var. magnit.
 55 *B. Areola*. sp. plur.
 A. *B. tigrinum*. sp. 3.

- 656 *B. undulatum*. sp. 3.
 57 *B. tessellatum*. sp. 2.
 58 *B. Caffis*. sp. unic.
 59 *B. strigatum*. sp. 3.
 a. *B.* — Var. Martin. II. fig. 356. sp. 3.
 A. *B. tyrrhenum*. sp. unic.
 60 *B. abbreviatum*. sp. 3.
 61 *B. Erinaceus*. sp. unic.
 62 *B. glaucum*. sp. 3.
 63 *B. Vibex*. sp. 2.
 64 *B. papillosum*. sp. 3.
 65 *B. glans*. sp. 3.
 66 *B. arcularia*. sp. plur.
 a. *B.* — Var. Chemn. x. fig. 1474. sp. 3.
 67 *B. pullus*. sp. plur.
 68 *B. gibbosulum*. sp. 3.
 69 *B. mutabile*. sp. 3.
 70 *B. Harpa*. sp. plur.
 a. *B.* — Var. Chemn. XI. fig. 1451. sp. unic.
 b. *B.* — Var. ibid. fig. 1453. sp. 3.
 71 *B. citharoedus* Chemn. IX. fig. 2098. 2099.
 (fossilis) sp. unic.
 72 *B. persicum*. sp. 2.
 a. *B.* — Var. (Bucc. haustum Chemn. x.
 fig. 1449. 1450. sp. 3.

- b. B. — *Var. γ.* sp. unic.
- 673 B. monodon. sp. 2.
- 74 B. patulum. sp. 3.
- 75 B. hæmastoma. sp. plur.
- a. B. — *Var. fusco et luteo variegata.*
sp. plur.
- b. B. — *Var. Chemn. xi. (B. luteo-*
stoma) fig. 1800. sp. unic.
- 76 B. Lapillus. sp. plur.
- 77 B. smaragdulus. sp. 3.
- 78 B. scala. sp. plur.
- 79 B. spiratum. sp. plur.
- a. B. — *Var. β.* sp. 3.
- 80 B. ocellatum. sp. 3.
- 81 B. glabratum. sp. 3.
- a. B. — *Var. Martin. iv. fig. 1193.* sp. 3.
- 82 B. prærosüm. sp. unic.
- 83 B. Orbita. sp. unic.
- 84 B. turgidum. sp. unic.
- B. B. nov. spec. *Chemn. xi. fig. 1847. 1848.*
sp. unic.
- 85 B. undosum sp. 3.
- a. B. — *Var. Martin. iv. fig. 1146.*
1147. sp. unic.
- 86 B. tranquebarium. sp. 3.
- 87 B. versicolor. sp. 3.

- 688 *B. sulcatum*. sp. plur.
 89 *B. Bezoar*. sp. 3. max.
 a. *B.* — sp. 3. minor.
 90 *B. glaciale*. sp. 3.
 91 *B. undatum*. sp. plur.
 A. *B. carinatum*. sp. 3.
 92 *B. anglicum*. sp. 3.
 a. *B.* — *Var. alba* Knorr. vi. tab. 23.
 fig. 3. sp. unic.
 93 *B. porcatum*. sp. unic.
 94 *B. reticulatum*. sp. plur.
 95 *B. niveum*. sp. 3.
 96 *B. vulgatum*. sp. 3.
 97 *B. nitidulum*. sp. 3.
 98 *B. lævigatum*. sp. plur.
 A. *B. Haustorium*. sp. unic.
B. B. testudineum. sp. 2.
 99 *B. Catarrhacta*. sp. unic.
 100 *B. tahitense*. sp. unic.
 A. *B. nova species*. Chemn. xi. fig. 2082.
 2083. sp. plur.
B. B. nova species. ibid. fig. 2078 - 2081.
 sp. 3.
 1 *B. maculatum*. sp. 3. max.
 a. *B.* — *Var. Martin*. iv. fig. 1442.
 2 *B. subulatum*. sp. 3.

- 703 *B. crenulatum.* sp. 2.
 4 *B. vittatum.* sp. plur.
 a. *B.* — Var. Martin. iv. fig. 1470. 1471.
 sp. plur.
 5 *B. strigilatum.* sp. plur.
 6 *B. duplicatum.* sp. plur.
 7 *B. lanceatum.* sp. plur.
 8 *B. dimidiatum.* sp. 3.
 9 *B. murinum.* sp. plur.
 10 *B. Acus.* sp. plur.
 11 *B. commaculatum.* sp. 3.
A. B. Phallus. sp. 3.

S t r o m b u s.

- 12 *S. fusus* (labro dentato) sp. 2.
 a. *S.* — Var. β . sp. unic.
 b. *S.* — Var. γ . sp. unic. pulcherr.
 13 *S. Pes pelecani.* sp. plur.
 14 *S. Chiragra.* sp. plur. var. magnit.
 a. *S.* — Var. adulta. sp. plur. var. ætatis.
 b. *S.* — Var. intermedia. sp. 2. pulcherr.
 15 *S. Scorpius.* sp. 2.
 a. *S.* — Var. Chemn. x. fig. 1508. 1509.
 sp. un.

- b. S. — Var. *intermedia*. sp. 2. pulcherr.
- 715 S. *Scorpius*. sp. 2.
- a. S. — Var. *Chemn.* x. fig. 1508. 1509.
sp. un.
- 16 S. *Lambis*. sp. 2.
- a. S. — Var. *digitis novem*. sp. unic.
- b. S. — Var. β . sp. 2.
- c. S. — Var. *b.* sp. 2.
- d. S. — Var. δ . (*S. Camelus Chemn.*) sp. 3.
- e. S. — Var. *ead. adulta*. sp. 3.
- 17 S. *Millepeda*. sp. unic.
- a. S. — Var. *adulta*. sp. unic.
- 18 S. *lentiginosus*. sp. un. max. 3. min.
- a. S. — Var. *a.* sp. 3.
- 19 S. *fasciatus* (Var. *S. Galli*) sp. un. max.
- 20 S. *Gallus*. sp. 3.
- a. S. — Var. β . sp. unic.
- b. S. — Var. γ . sp. 3.
- c. S. — Var. ϵ . sp. plur.
- d. S. — Var. θ . sp. un.
- 21 S. *Auris Dianæ*. sp. 3.
- a. S. — Var. δ . sp. un.
- 22 S. *pugilis*. sp. 3.
- 23 S. *marginatus*. sp. 2.
- 24 S. *Luhuanus*. sp. 3.
- a. S. — Var. α . sp. 3.

- b. S. — Var. γ . sp. un. max. 3. min.
- 725 S. gibberulus. sp. 3.
- 26 S. Oniscus. sp. plur.
- 27 S. Lucifer. sp. 2.
- 28 S. Gigas. sp. 2.
- 29 S. latissimus (Martin. III. fig. 874) sp.
un. pull.
- 30 S. Epidromis. sp. 3.
- a. S. — Var. minor. sp. 3.
- 31 S. minimus. sp. un.
- 32 S. Canarium. sp. 3.
- a. S. — Var. lineis fuscis longitudinalibus.
sp. un.
- 33 S. vittatus. sp. 3.
- a. S. — Var. γ . sp. 3.
- 34 S. sulcatus. (Chemn. XI. fig. 1870. 1871.
sp. unic.
- 35 S. succinctus. sp. 3.
- 36 S. spinosus (fossilis) sp. 3. pulcherr.
- 37 S. fissurella. sp. 3.
- 38 S. Urceus. sp. 3.
- 39 S. tridentatus. sp. 3.
- 40 S. dentatus. sp. 3.
- 41 S. costatus. Var. a. sp. un.
- 42 S. nova species præcedenti affinis. Spira
acuta, anfractibus distinctis, ventre

transversim profunde sulcato. Specimen junius (ut mihi videtur) longit. 7 pollic. latitud 5 poll. Ex insulis Gallapagos in Oceano australi. sp. un.

- 743 S. Bryoniæ sp. 3. digitis septem et sp. 2. max. longit. 16 poll.
- a. S. — Var. (Chemn. x. fig. 1512-1515) sp. plur. ætat. divers.
- b. S. — Var. (Martin. III. fig. 904. 905. sp. 3. max. species hæc cum varietatibus suis, tribui prima inserenda dicitante natura; Lambidi habitu maxime affinis.
- 44 S. vexillum. sp. unic.
- 45 S. tuberculatus. sp. 3.
- 46 S. palustris. sp 2. magn. integerr.
- 47 S. auritus, sp. plur.
- 48 S. aculeatus. sp. 3.

M u r e x.

- 749 M. haustellum. sp. 3. magn.
- a. M. — Var. min. sp. 3.
- b. M. — Var. Martin III. fig. 745. 1045 - 1047. sp. 3.

- 750 *M. nova species sinistra.* Chemn. ix. fig. 902. 903. sp. un.
- 51 *M. Tribulus.* sp. plur.
- a. *M.* — Var. spinis longissimis. sp. 2. pulcher.
- 52 *M. Brandaris.* sp. 2. max. 2 med.
- a. *M.* — Var. Chemn. x. fig. 1571. sp. 2.
- 53 *M. Trunculus.* sp. plur.
- 54 *M. Pomum.* sp. 2. magn. 3 minor.
- 55 *M. decussatum.* Chemn. x. fig. 1540. 1541. sp. plur.
- 56 *M. melanamathos.* sp. 3. pulherr.
- 57 *M. ramosus* Martin. iii. fig. 980. sp. 3.
- a. *M.* — Var. ibid. fig. 981. sp. 2.
- b. *M.* — Var. ibid. fig. 982. 883. sp. 2.
- c. *M.* — Var. fusca. sp. 2.
- d. *M.* — Var. Martin. iii. fig. 987. 988. sp. un. dealbatum ramosissim.
- e. *M.* — Var. ibid. fig. 993-995. sp. 3. quorum duo fusco-nigra. (an distincta species?)
- f. *M.* — Var. præcedentis, subramosa. sp. 3.
- g. *M.* — Var. δ . Genel. Syst. Nat. \S 3.
- 58 *M. Scorpio.* sp. unic.
- 59 *M. saxatilis.* sp. 3.

- 760 *M. Erinaceus.* sp. 3.
 61 *M. striatus.* sp. 2.
 62 *M. Sacellum.* sp. 2.
 63 *M. nov. spec.* Chemn. xi. fig. 1881. sp.
 plur.
 64 *M. Motacilla?* sp. 3.
 65 *M. Rana.* sp. 3.
 a. *M.* — Var. β . sp. 3.
 66 *M. gyrinus.* sp. plur.
 67 *M. Lampas.* sp. plur. var. magnitud.
 68 *M. Olearium.* sp. 3.
 69 *M. Femorale.* sp. 2.
 70 *M. cutaceus.* sp. 2.
 71 *M. Lotorium.* sp. 3.
 72 *M. pileare.* sp. 2. maga. 2. minor.
 73 *M. Pyrum.* sp. 3.
 74 *M. Rubecula.* sp. 3.
 75 *M. scrobiculator.* sp. 3.
 76 *M. reticularis.* sp. 3.
 77 *M. lamellosus.* sp. 2. integerr. (*M. magellanicus* Gmel. et Chemn.)
 78 *M. nodatus.* sp. unic.
 79 *M. Anus.* sp. 3.
 a. *M.* — Var. *reticulata*, *nou tuberculata.*
 sp. 3.
 80 *M. miliaris.* Chemn. x. fig. 1530. 1531.

- 781 *M. Nodus*. 'sp. 2.
 82 *M. neritoideus*. sp. 2.
 83 *M. Mancinella*. Var. β . sp. plur.
 84 *M. Hippocastanum*. sp. 3.
 85 *M. senticosus*. sp. 3.
 86 *M. Melongena*. sp. plur. quor. unum.
 maxim. pulcherr.
 87 *M. citharoedus* Chemn. xi. fig. 1862.
 1863. sp. plur.
 88 *M. Lima*. sp. plur.
 89 *M. babylonius*. sp. 2.
 a. *M.* — Var. β . sp. unic.
 b. *M.* — Var. ϵ . sp. unic.
 c. *M.* — Var. ζ . sp. unic.
 d. *M.* — Var. non descript. angulis ele-
 vatis, granulatis. E China, sp. 3.
 90 *M. javanus*. sp. 3.
 91 *M. sinensis*. sp. 3.
 92 *M. Turris*, sp. 3.
 a. *M.* — Var. Chemn. xi. fig. 1835. 1836.
 A. *M.* — *crispatus*. (*Buccin. crispatum*
 Chemn. xi. fig. 1802. 1803.) sp. 2.
 93 *M. Colus*. sp. 2.
 a. *M.* — Var. *tota alba*, sp. 2.
 b. *M.* — Var. γ . sp. 3.
 c. *M.* — Var. *pull.* sp. 2.

- d. *M.* — *Var. monstrosa*, Chemn. xi. fig. 2088. 2089. sp. unic.
- e. *M.* — *Var. fusco alba*. Testa nodosa transversim striata. E. mari adriatico. sp. 3.
- 794 *M. Morio*. sp. plur. var magnit.
- a. *M.* — *Var. pallida*. sp. unic.
- 95 *M. canaliculatus*. sp. 3.
- 96 *M. Carica*. sp. unic. maxim.
- 97 *M. Rapa*. sp. 3.
- 98 *M. antiquus*. Martin. iv. fig. 1294. sp. 2.
- 99 *M. despectus*. sp. 2.
- 800 *M. Raphanus*. Chemn. x. fig. 1558. sp. unic.
- 1 *M. fornicatus*. sp. 3.
- a. *M.* — *Var.* (*Mur. carinatus* Pennant. Br. Zool. Tom. iv. tab. 77. fig. 96) sp. unic.
- 2 *M. Argus*. sp. 2.
- 3 *M. maculosus*. sp. plur. quor. un. maxim.
- 4 *M. magellanicus*. sp. 2. (vid. No. 777)
- 5 *M. litteratus*. sp. plur.
- 6 *M. Tritonis*. sp. 2. maxim. 1. minim.
- a. *M.* — *Var. β*. sp. unic.
- 7 *M. Pusio*. sp. 3.
- 8 *M. Tulipa*. sp. 3.

- 9 *M. clatratus*. sp. 3.
- 10 *M. Nassa*. sp. unic. dealbat.
- 11 *M. Fiscellum*. sp. 3.
- 12 *M. corneus*. sp. plurim.
a. *M.* — Var. dealbat. sp. plur.
- 13 *M. Trapezium*. sp. 3.
a. *M.* — Var. β . sp. plur.
- 14 *M. Vespertilio*. sp. 3.
- 15 *M. Tuba*. (Favanne Conchyl. tab. 35) sp.
2. max. 2. minor.
a. *M.* — Var. Simillima Chemn. ix. fig.
902. 903. sed dextra. e China. sp. 2.
- 16 *M. craticulatus*. sp. unic.
- 17 *M. ternateus*. sp. unic.
- 18 *M. Infundibulum*. sp. unic.
- 19 *M. polygonus*. sp. 3.
a. *M.* — Var. Martin. iv. fig. 1313-1316.
sp. 3.
- 20 *M. islandicus*. sp. plur.
- 21 *M. lævigatus?* (fossilis) sp. un.
- 22 *M. ficulneus* Chemn. x. fig. 2004. 3005.
(fossilis) sp. un.
- 23 *M. Noë* Chemn. xi. fig. 2096. 2097.
(fossilis) sp. un.
- 24 *M. candidus*. sp. 2.
- 25 *M. undatus*. sp. unic.

- 26 *M. longissimus*. sp. unic.
 27 *M. maroccensis*. sp. plur.
 28 *M. varicosus*. Chemn. x. fig. 1546. sp. 3.
 19 *M. lineatus*. sp. 3.
 30 *M. neritoideus* Gmel. S. Nat. p. 3559.
 31 *M. vertagus*. sp. plur.
 A. *M.* nov. spec. præcedenti affinis. Martyn
 univ. Conch. Tom. 1. fig. 12. E. Pulo
 Condore. sp. unic.
 32 *M. Aluco*. sp. 3. max.
 a. *M.* — Var. Mart. n. iv. fig. 1418. sp. 3.
 b. *M.* — Var. ibid. fig. 1480. sp. 3.
 33 *M. fuscatus*. sp. plur.
 34 *M. Radula*. sp. plur.
 35 *M. asper*. sp. 3.
 36 *M. gibbosus*. Chemn. xi. fig. 1829. 1830.
 sp. plur.
 37 *M. contrarius*. sp. unic. (nullo modo hujus
 tribus)

T r o c h u s :

- 838 *T. niloticus*. sp. 3.
 a. *T.* — Var. min. sp. 2.
 39 *T. maculatus*. sp. plur. var. magnit.

- 40 *T. perspectivus*. sp. plur. var. **magnit.**
- 41 *T. hybridus*. sp. 2. (Var. *T. perspect*)
- 42 *T* ? Chemn. ix. fig. 1045. sp. 2.
- 43 *T. Pharaonis*. sp. 3.
- 44 *T. Magus*. sp. plur.
 a. *T.* — Var. e. *Nicobariis*. sp. plur.
- 45 *T. Modiolus*. sp. plur.
- 46 *T. umbilicaris*. sp. 3.
- 47 *T. nova spesies*. Testa cylindrico-umbilicata, convexa, basi glaberrima convexa; anfractibus glabris, fasciis obliquis fuscis, ore margaritaceo. E. fredo Regis Georgi. sp. unic. (*umbilicari affinis*)
- 48 *T. pumilio* Chemn. xi. fig. 1088. sp. plur.
- 49 *T. solaris*. (*nigra*) sp. unic.
 a. *T.* — Var. Chemn. v. fig. 1716. 1717.
 sp. 3.
- 50 *T. Tectum*. Var. Chemn. x. fig. 1583.
 sp. 3.
- 51 *T. Conus*. sp. unic.
- 52 *T. vernus*. sp. 2.
- 53 *T. conspersus*. sp. unic.
- 54 *T. ochroleucus*. sp. 4.
- 55 *T. costatus*. sp. unic.
- 56 *T. inæquælis*. sp. unic.

- 857 *T. regius*. sp. unic. NB. species sex præcedentes vix distinctæ, sed, ut mihi videtur, var. *Trochi maculati*.
- 58 *T. cylindricus*. sp. unic.
- 59 *T. radiatus*. sp. unic.
- 60 *T. ?* Chemn. x. fig. 1579. 1582. sp. unic.
- 61 *T. rusticus*. sp. 3.
- 62 *T. capensis*. sp. plur.
- 63 *T. ægyptius*. sp. 3.
- 64 *T. depressus*. sp. plur.
- 65 *T. groenlandicus*. sp. 3.
- 66 *T. urbanus*. sp. plur.
- a. *T. Var.* Chemn. v. fig. 1754. 1755. sp. plur.
- 67 *T. Nodulus*. sp. plur.
- 68 *T. tessulatus*. sp. plur.
- 69 *T. indicus*. sp. unic.
- 70 *T. infundibuliformis*. sp. 3.
- 71 *T. stramineus*. sp. 3. quor. un. max.
- 72 *T. variegatus*. sp. plur.
- 73 *T. inermis*. sp. 3. (vix hujus tribus)
- 74 *T. imperialis* sp. pulcherr.
- 75 *T. turcicus*. Chemn. xi. fig. 2066. sp. unic.
- 76 *T. planus*. sp. unic,

- 877 T. callosus. sp. plur.
- 78 T. vestiarius. sp, plur.
- a. T. — Var. pulcherrime variegata, e nova
Zeelandia. sp. 3.
- b. T. — Var. coronata Chemn. xi. fig.
1898-1900. .sp unic.
- 79 T. Labio. sp. 3.
- a. T. — Var. e nova Zeelandia (simillima
melastomo. Gmel. Chemn. v. fig. 1526.
a. b. sed. fauce albo) sp. 2.
- 80 T. quadricarinatus. Chemn. x. fig. 1892.
1893. sp. 3.
- 81 T. Tuber. sp. plur. var. magnit.
- a. T. — Var. sp. plur.
- 82 T. Zizyphinus. sp. plur.
- 83 T. Obeliscus. sp. 3.
- a. T. — Var. β . sp. 3.
- b. T. — Var. Chemn. v. fig. 1597. sp. 3.
- 84 T. distortus. sp. 2.
- 85 T. virgatus. sp. 3.
- 86 T. foveolatus. sp. 3.
- 87 T. diaphanus. sp. 2.
- 88 T. Iris. Chemn. v. fig. 1522. sp. 3.
- a. T. — Var. ibid. fig. 1523. sp. 3.
- 89 T. rostratus. sp. 3. et 2 polit.

- 890 *T. virgineus*. Chemn. x. fig. 1581-1582.
sp. unic.
- 91 *T. doliarius*. ibid. fig. 1519. 1580. sp.
unic.
- 92 *T. Turbo*. Chemn. ix. fig. 1059. sp. 2.
a. *T.* — e freto magellanico. sp. unic.
- 93 *T. americanus?* sp. unic. e nova Zee-
landia.
- 94 *T. cælatus*. sp. unic.
- 95 *T. purpureus*. sp. 3.
- 96 *T. Cookii*. sp. unic.
- 97 *T. nodulosus*. sp. 2.
- 98 *T. mauritianus*. sp. 3. (*Var. Tr. foveolati?*)
- 99 *T. fenestratus*. sp. plur.
- 900 *T. helycinus*. sp. unic.
a. *T.* — *Var.* Chemn. v. fig. 1558. 1559.
- 1 *T. argyrostomus*. sp. plur.
- 2 *T. sinensis*. sp. 3.
a. *T.* — *Var. punctis. albis*, sp. unic.
- 3 *T. lugubris?* sp. unic.
- 4 *T. conchyliophorus*. sp. 3.
- 5 *T. nova. species. exinsul. amic.* sp. 3.
- 6 *T. nov. spec. e nov. Zeel.* sp. 2.
- 7 *T. nov. spec. e nov. Zeel.* sp. 3. Species
(No. 905-907.) omnino distinctæ, mi.

nones, sed detritæ, ideo character specificus difficillime erui potest.

8. T. nov. spec. Testa pyramidali, subtus striata albo rubroque per seriem punctata, anfractibus granulatis, fusco alboque variegatis. Longit. semipollic. Ex Oceano pacifico. sp. 2.
- 9 T. Telescopium. sp. 3. integerr.
- 10 T. dolabratus. sp. plur. var. magnit.
- 11 T. perversus. sp. plur.
- 12 T. nov. spec. Testa turrata, basi convexa; anfractibus substriatis, colore lateritio. Longit. semipoll. Ex Oceano pacifico. sp. unic.

T u r b o.

913. T. obtusatus. sp. 3.
- 14 T. neritoideus. sp. plur.
- 15 T. littoreus. sp. plur.
- 16 T. muricatus. sp. plur.
- 17 T. pullus. sp. plur.
- 18 T. nov. spec. pullo affinis, sed triplo major. Testa rubra fusco et albo variegata. Ex Oceano australi. sp. 2.

- 919 T. personatus. sp. plur.
 20 T. petholatus. sp. plur.
 a. T. — Var. Chemn. v. fig. 1833. sp.
 unic.
 21 T. Cochlus. sp. unic.
 22 T. Chrysostomus. sp. plur. Var. magnit.
 23 T. echinatus. ex insul amic. sp. 2. (Var.
 præcedentis? idem cum T. spinoso
 Gmel. S. N. p. 3594.)
 24 T. Pagodus. sp. 3.
 25 T. Calcar. sp. unic.
 26 T. rugosus. sp. plur.
 27 T. granosus. Chemn. v. fig. 1804. 1804.
 (Gmel. pag. 3593. Var. rugosi, sed
 omnino distincta species.) sp. 2.
 28 T. marmoratus. sp. unic.
 29 T. sarmatica. sp. 3. quor. un. max.
 alt. min. test. polit.
 30 T. Olearius. sp. 2. max.
 31 T. cornutus. sp. 3.
 32 T. radiatus (testa subimperfurata) sp. 2.
 33 T. coronatus. sp. unic.
 34 T. canaliculatus. sp. 2.
 35 T. setosus. sp. un. ex Otaheite (Var.
 præcedentis?)
 36 T. Sparverius? sp. unic.

- 937 T. Castanea. sp. plur. var. picturæ.
 38 T. crenulatus. sp. unic.
 39 T. Smaragdus. sp. 2. quor. un. max. e
 Zealandia.
 40 T. Aethiops. sp. 2.
 41 T. nicobaricus. sp. 2.
 42 T. Cidaris. Var. β . sp. plur.
 a. T. — Var. γ . sp. unic.
 b. T. — Var. ϵ . sp. 2.
 43 T. nigerrimus. ex Oceano australi.
 44 T. niveus. sp. 3.
 45 T. nova species. Chemn. v. fig. 1850.
 1351. e nov. Zceland. sp. 3.
 46 T. Pica. sp. plur. magn.
 a. T. — Var. minim. sp. plur.
 47 T. argyrostomus. sp. 3.
 48 T. versicolor. sp. 3.
 49 T. Delphinus. sp. plur.
 a. T. — Var. β . sp. 3.
 50 T. distortus. sp. plur.
 51 T. aculeatus. sp. 3.
 52 T. granulatus. sp. 3.
 53 T. Ludus. sp. 2.
 54 T. thermalis? sp. plur.
 55 T. scalaris. sp. 3. longitudine bipolli-
 cari integerrima.

- 956 *T. Clathrus*. sp. 3.
 a. *T.* — Var. Martin. iv. fig. 1436. 1437.
 sp. 3.
 b. *T.* Var. Chemn. xi. fig. 1878. 1879.
 sp. unic.
- 57 *T.* nova species, affinis præcedenti. Testa
 turrita, sordide alba anfractibus con-
 tiguis, duobus maximis, costis distinc-
 tis, quarum duæ elevatæ per omnes
 anfractus; labio marginato, ore orbi-
 culari. Longit. semipollic. Ex India
 ient. or. sp. plur.
- A. *T. lacteus*. sp. 2.
- 58 *T. striatulus*. sp. unic.
- 59 *T. Uva*. sp. 3.
- 60 *T.* nova species. Chemn. ix. fig. 1256.
 1257. sp. 2.
- 61 *T. reflexus*. sp. plur.
- 62 *T. Lincina*. sp un. mac. minim. plur.
- 63 *T. Turris Thomæ*. Chemn. xi. fig. 3022.
 sp. plur.
- 64 *T. imbricatus*.
- 65 *T. replicatus*. sp. 2.
- 66 *T. acutangulus*. sp. 3.
- 67 *T. duplicatus*. sp. 2.
- 68 *T. Terebra*. sps 2.

- 969 *T. variegatus*. sp. 3.
 70. *T. corrugatus*. Chemn. ix. fig. 961. sp. unic.
 71 *T. bidens*. sp. plur.
 72 *T. papillaris* Chemn. ix. fig. 963. 964.
 (Var. *T. bidentis*.) sp. un.
 73 *T. perversus*. sp. plur.
 74 *T. tridens*. sp. 3.
 75 *T. muscorum*, sp. plur.

H e l i x.

- 976 *H. Scarabæus*. sp. plur. var. magnit.
 77 *H. Lapidida*. sp. 3.
 78 *H. ?*. Chemn. ix. fig. 1102. 1. 2. sp. 3.
 79 *H. marginata*. sp. unic.
 80 *H. cicatricosa*. (sinistra) sp. unic.
 81 *H. Oculus Capri*. sp. un.
 a. *H.* — Var. e Rio negro, Lusitaniæ.
 sp, 2.
 82 *H. Albella*. sp, unic.
 83 *H. Albina*. sp 2.
 84 *H. striatula*. sp. unic.
 85 *H. Algira*, sp. 3.
 a. *H.* — Var. e Carinthia. sp. 2.

- 986 *H. vermiculata*. sp. plur.
 87 *H. exilis* sp. plur.
 88 *H. incarnata*. sp. 3.
 89 *H. planorbis* sp. plur.
 90 *H. complanata*. sp. plur.
 91 *H. ringens* sp. unic.
 92 *H. Lucerna*. sp. unic.
 a. *H.* — *Var?* sp. 3.
 93 *H. Carocolla*. sp. 3. max.
 94 *H. ?*. media inter *Carocollam* et unidentatam. Testa imperforata, subcarinata, fusca, fascia obscuriori, labio unidentato. E *Guadeloupe*. *Lister*. tab. 51. fig. 49. ? sp. 2.
 95 *H. unidentata*. *Chemn.* xi. fig. 2050. sp. unic.
 96 *H. Cornu militare*. sp. unic.
 97 *H. pellis serpentis*. sp. 3.
 98 *H. Vortex*. sp. untc.
 99 *H. scabra*. sp. plur.
 1000 *H. Gualteriana*. sp. unic.
 1 *H. planata*. *Chemn.* xi. fig. 2065-2067 2069. sp. 3.
 2 *H.* nova species. præcedenti affinis. Testa imperforata depressa oblique stri-

ata, subfusca, fasciis fuscis obliquis.

Ins. St. Mauritii. sp. 3

- 1003 *H. cornea*. sp. 2.
 4 *H. Spirorbis*. sp. plur.
 5 *H. contorta*. sp. plur.
 6 *H. nitida*. sp. unic.
 7 *H. Cornu arietis* sp. plur.
 8 *H. hispida*. sp. plur.
 9 *H. ampullacea*. sp. 2. max. plur min.
 a. *H.* — Var. γ . sp. 3.
 b. *H.* — Var. sinistra. sp. 3.
 10 *H. Nux.* Chemn. xi. fig. 2055. 2056.
 sp. 2.
 11 *H. Pomatia*. sp. 3.
 a. *H.* — Var. sp. plur.
 b. *H.* — Var. sinistra. sp. 2.
 12. *H. ?*. Chemn. ix. fig. 911. 912. sp.
 unic.
 13. *H. ?*. ibid. fig. 911. 912. sp. unic.
 14 *H. Castanea*. sp. 3.
 15 *H. globulus* sp. plur.
 16 *H. lactea*. sp. plur.
 17 *H. ? imperforata depressa*, subfusca, fascia alba apertura fusca, labro marginato. sp. 3.
 18 *H. arbustorum*. sp. plur.

- 1019 *H.* ?. testa subumbilicata, depressa, fusca fasciis obliquis aurulentis; labro albo. Guadeloupe. sp. unic.
- 20 *H.* fulva. sp. 3.
- 21 *H.* ligata (Var. *H.* pomatiæ?) sp. un.
- 22 *H.* ?. Chemn. ix. fig. 1140. sp. unic.
- 23 *H.* adpersa. sp. plur.
- 24 *H.* pisana. sp. unic.
- 25 *H.* zonaria. sp. unic.
- 26 *H.* ericetorum. sp. glur.
- a. *H.* — Var. sp. plur.
- 27 *H.* pulchella. sp. plur.
- 28 *H.* rotundata. sp. plur.
- 29 *H.* cellaria. sp. plur.
- 30 *H.* obvoluta. sp. plur.
- 31 *H.* unguina. sp. plur.
- 32 *H.* fruticum. sp. plur.
- 33 *H.* Lucana sp. 3.
- 34 *H.* vittata. sp. plur.
- 35 *H.* mamillaris. sp. 2.
- 36 *H.* pileus. sp. un.
- 37 *H.* Volvulus. sp. plur. var. magnit.
- 38 *H.* ?. Chemn. ix. fig. 950. 951. sp. un.
- 39 *H.* trifasciata. sp. un.
40. *H.* Bontia. sp. 3.
- a. *H.* — Var. e Benghalia. sp. 3.

- b. *H.* — Var. e Guineæ sp. 2.
- 1041 *H. perversa* sp. 2.
- a. *H.* — Var. δ . sp. 2.
- 42 *H. dextra*. sp. un.
- 43 *H. inversa*. sp. 3.
- 44 *H. læva*. sp. 2.
- 45 *H.* ? (*Buccinum striatum* Mülleri) Chemn.
ix. fig. 1028. 1029. sp. un.
- 46 *H. janthina*. sp. 3.
- 47 *H. vivipara*. sp. plur. var. magn.
- 48 *H. nemoralis*. sp. plur.
- 49 *H. hæmastoma*. sp. 3.
- a. *H.* — Var. alba, fasciis plurimis fuscis, apertura purpurea. p. 2.
- b. *H.* — Var. fusca, labio nigro, apertura alba. sp. 2.
- 50 *H. solida* sp. 3.
- 51 *H. Johnii*. Chemn. xi. fig. 2076.
sp. un.
- 52 *H. decollata*. sp. plur.
- 53 *H.* ? Chemn. ix. fig. 1258. sp. unic.
NB. Figura optima, simillima testæ, sed hæc an hujus generis? apex natura aut casu truncata?
- 54 *H. sulcata*. sp. 3.
- a. *H.* — Var. sp. unic.

- 1055 *H. cylindracea*. sp. 2.
 56 *H. scalaris* sp. 2. (Diciturante habitu, potius varietas *Helices pomaticæ*.
 57 *H. subcylindrica*. sp. plur.
 58 *H. octona*. sp. plur.
 59 *H. tuberculata* (Chemn. IX. fig. 1261. 1262. sp. plur.
 60 *H. Columna* (sinistra) sp. un.
 61 *H. atra*. sp. 2.
 62 *H. ?* (Chemn. IX. fig. 1230. sp. 2.
 63 *H. barbara*. sp. plur.
 64 *H. Amara*. sp. plur.
 65 *H. aspera*. sp. plur.
 66 *H. stagnans*. sp. 3.
 67 *H. fragilis*. sp. plur.
 68 *H. palustris*. sp. unic.
 69 *H. peregra*. sp. unic.
 70 *H. putris*. sp. plur.
 71 *H. acuta*. sp. 2.
 72 *H. detrita*. sp. plur.
 a. *H.* — Var. *sinistra*. sp. unic.
 73 *H. ?*. præcedenti affinis sed major, fasciis fuscis, Schröter Erd. Conchyl. tab. 1. fig. 1. sp. 2.
 74. *H. ?*. cornea, subtiliter striata, apertura subovata. Ex insul. St. Crucis. sp. 3.

- 75 *H. limosa*. sp. plur. . . .
 76 *H.?* *Chemn.* IX. fig. 1242
 a. b. sp. 2.
 77. *H. tentaculata*. sp. plur. . . .
 78. *H. auricularia*. sp. 3. . . .
 79. *H. neritoidea*. sp. unic.

Nerita.

1080. *N. laurena*. sp. 3.
 a. N. — Var. a. sp. plur.
 b. N. — Var. b. sp. 3.
 c. N. — Var. γ. sp. plur.
 d. N. — Var. δ. sp. 3.
 e. N. — Var. ε. sp. 2.
 f. N. — Var. ζ. sp. 3.
 g. N. — Var. η. sp. unic.
 h. N. — Var. ψ. sp. unic.
 i. N. — Var. ω. sp. 2.
 k. N. — Var. non descripta, fasciis al-
 bis maculatis, inter fascia striis un-
 dulatis. *Conchininna*. sp. un.
 81 *N. cancellata*. sp. plur.
 a. N. — Var. β. sp. 3.
 82 *N. glaucina*. sp. 3.
 83. *N. Vitellus*. sp. 2.

- 1084 N. *Albumen*. sp. 3.
 85 N. *mamillaris*. sp. plur. var. color
 86 N. *spadica*. sp. 3.
 87 N. *fulminea*. sp. unic.
 88 N. ~~*stercus muscarum*~~. sp. unic.
 89 N. *orientalis*. sp. unic.
 90 N. *orientata*. sp. 3.
 91 N. *rugosa*. sp. unic.
 92 N. *arachnoidea*. sp. 3.
 93 N. *vittata*. sp. 3.
 94 N. *melanostoma*. sp. 3.
 a. N. — var. B. sp. unic.
 b. N. — var. γ. sp. 3.
 95 N. *papilla* sp. unic.
 96 N. *Corona* sp. 3.
 97 N. *radula*. sp. 2.
 98 N. *fluviatilis*. sp. plur.
 a. N. — Var. Chemn. ix. fig. 1086.
 sp. unic.
 b. N. — Var. *ibid.* fig. 1087. sp. unic.
 c. N. — Var. *δ.* *ibid.* fig. 1080. sp. 3.
 d. N. — Var. e Guinea. (*diverse picta.*)
 sp. plur.
 99 N. *littoralis* sp. plur.
 1100 N. *lacustris*. sp. unic.
 1 N. ? testa rosea, fasciis tribus nigris,

alba decussatim striatis, labio
crenulato. E. Brasilia. sp. unice.

- 1102 N. publigera. sp. 3.
3. N. atterima. sp. 3.
- 4 N. pupa. sp. 2.
- 5 N. bidens. sp. 2.
- a. N. — Var. ore croce, testa
subsasciata. E. nov Zee-
landia. sp. 2.
- b N. non descripta, proce^{rga-}
denti affinis, Testa laevio, cre-
sordide alba, maculis ^{and au-} nigris; labio inferiori
dentato-crenulato, exteriori laevi. Ex.
oceano australi. sp. unice.
- 7 N. viridis. sp. plur.
- 8 N. polita. sp. plur. var. pictur.
- 9 N. Pelorontha. sp. plur. var. magnit.
- 10 N. Albicilla. sp. plur.
- 11 N. Histrio. sp. 3.
- 12 N. plicata. sp. 3.
- 13 N. grossa. sp. 3.
- 14 N. Chamæleon. sp. plur.
- 15 N. undata. sp. 2.
- 16 N. exuvia. sp. 2.
- a. N. — Var. (N. textilis Gmel S. N.)
Chemn. v. fig. 1944. 1945. sp. 2.
- 17 N. atrata. sp. 3.

- 1118 *N. lineata*. sp. unic (Var.
N. Peloronthæ?)
- 19 *N. costata*. sp. 3. (Var. *N.*
Peloronthæ?)
- 20 *N. bifasciata*. sp. unic.
 a. *N.* — Var sp. unic.
- 21 *N.* ? *precedenti affinis.*
Le marbre rubanne Fa-
vana. Conchyl. Tab. 10. fig
 1.1. sp. unic.
- 22 *N. litterata*. sp. 2.
- 23 *N.* ? *precedenti affinis,*
nigra, fasciis viridibus
marginibus croceis; labio
interiori crenulato, exteriori
laevi. Ex oceanis australi. sp. un.
- 24 *N. aculeata*. sp. unic.
- 25 *N. nov. spec. Chemn. XI. fig.*
 1905. 1906. sp. 3.

Haliothis.

- 1126 *H. Midae*. sp. plur. var. *magnit.*
 a *H.* — Var. *spira valde elevata.*
- 27 *H. tuberculata*. ^{sp. 2. magn.} sp. plur.
- 28 *H. striata*. sp. 3.
- 29 *H. varia*. sp. plur.

- 1130 *H. marmorata*. sp. 2.
31 *H. asinina*. p. plur. var. magnit.
32 *H. parva*? sp. plur. var. magnit.
33 *H. australis*. sp. unic.
34 *H. imperforata*. sp. 3.
35 *H. pulcherrima*. sp. unio.
36 *H. virginea*. sp. 3.
37 *H. ovina*. sp. 2.
38 *H. Iris*. sp. 2.

Patella.

- 1139 *P. equestris*. sp. un. magn. plur. mi
40 *P. neritoidea*? sp. 3.
41 *P. chinensis*. sp. plur.
42 *P. porcellana* sp. unic.
a. P. — Var. sp. unic.
43 *P. fornicata*. sp. plur.
44 *P. aculeata*. sp. 3.
45 *P. trochiformis*. sp. unic.
46 *P. auricula*. sp. plur.
47 *P. goreensis*. sp. plur.
48 *P.*? Knorr. Tom. III. fig. 1.
2. sp. unic.

- 1149 P. ? . Schroeters Neue Litterat.
3. B. pag. 6. No. 11. sp. plur.
50 P. laciniosa. sp. plur. var.
magnit.
51 P. saccharina. sp. 3.
a. P. — Var costis triquetris,
limbo interno fusco, fundo
albo, sp. unic.
52 P. barbara. sp. plur.
a. P. — Var. testa alba, margine
reflexa. sp. unic.
53 P. ? . testa alba oblonga, quad-
rata, cingulis elevatis, radiis
8 elevatis rugosis. sp. unic.
54 P. granularis. sp. 2.
55 P. granatina. sp. plur.
56 P. vulgata. sp. plur.
57 P. coerulea ? sp. 3.
58 P. tricostata. sp. 2.
59 P. mytilina. sp. 2.
60 P. stellata. sp. plur.
61 P. ingellanica. sp. unic.
62 P. ? . affinis punctulata Gmel. S.
N. p. 3717. Testa oblonga, grisea,
striata, radiis fuscis albo

maculatis, vertice fusco,
fundo aureo. Ex Oceano
australi. sp. 3.

63 P. umbella. sp. plur.

a. P. — Var. ventricose an-
nulata sp. 2.

Page 84.

1164 P. crenata. sp. 3.

65 P. ferruginea. sp. 2.

66 P. tigrina? sp. 2.

67 P. ungarica. sp. plur.
quor. un. soffile.

68 P. ? da Costa Conchylology.
tab. 5. fig. 7. sp. unic.

69 P. antiquata. sp. 3.

70 P. miliaris. Linn. Man-
tiss. p. 252. sp. 3.

71 P. mamillaris. sp. 3.

72 P. tricarinata. sp. 3.

73 P. pectinata. sp. plur.

a. P. — Var. sp. 3.

74 P. lacustris. sp. plur.

75 P. fissurata. Chemn. XI.

fig. 1929. sp. unic.

- 76 P. *afra*. sp. 3.
 77 P. *margaritaria*. Chemn.
 XI. fig. 1914. 1915. sp. 3.
 78 P. *pellucida*. sp. plur.
 79 P. *testudinaria*. sp. un.
 max. plur. minor.
 a. P. — var. *radiis distinctis*
flavis. sp. unic.
 80 P. *testudinalis*. sp. 3.
 81 P. *compressa*. sp. plur.
 var. *magnit.*
 82 P. *natala*. sp. plur.

page 85.

- a. P. — var. *debrita*. sp. 2.
 83 P. *deaurata*. sp. 3.
 a. P. — var. *Martyn*. univ.
Conchyl. t. 64. sp. 2.
 84 P. *stellifera* sp. 3. (var.
precedentis)
 85 P. *radius*. sp. 3.
 a. P. — var. *convexior*. sp. 2.
 86 P. *Rota*. sp. 2.
 87 P. *umbellata*. sp. unic.
 88 P. *fragilis*. Chemn. XI.

fig. 1521. sp. 3.

89 *P. cornea*. Helbling.
Abhandl. der priv. Ges-
ellschaft in Bohmen.
Tom. IV. fig. 8. sp. 3.

90 *P. pustulata*. sp. 3.

91 *P. radiata*. Chemn. XI.
fig. 1516. 1517. sp. 3.

92 *P. Cochlear*. sp. plur.

93 *P. transserica*. Chemn.
XI. 1912. 1913. sp. 2.

94 *P. fissura*. sp. 3.

a. *P.* — var. Chemn. XI. fig.
1295. 1296. sp. 2.

95 *P. noachina*. ibid. fig.
1927. 1928. sp. 2.

96 *P. pustula*. sp. plur.

97 *P. græca*. sp. plur.

98 *P. nimbosea*. sp. 3.

page 86.

1199 *P. nubecula*. sp. plur.

1200 *P. picta*? sp. unic.

1 *P. jamaicensis*. sp. plur.

2 *P. macroschisma*. Chemn.

x1. fig. 1923-1924. sp. un.

Dentalium.

- 1203 D. aprinum. sp. unic.
4 D. politum. sp. plur.
5 D. striatulum. (totum
album) sp. 3.
6 D.?. subarcuatum, glab.
errimum. Ex. Oc. aus-
tral. sp. n.

Serpula.

- 7 S. filograna. sp. un.
8 S. penis. sp. 3.
9 S. Cochlearum perscis-
sarium collectio e plur-
imis generibus.



Appendix.

Echinus.

- 1 E. esculentus. sp. 3. var.
magnit. c. aculeis. . . .
- a. E. — Var. conica. sp. unic.
- 2 E. miliaris. sp. 2. acul.
Plur. var. magnit. sine
aculeis.
- a E. — Var Kleinii Echin-
odermata. Tab. 38. fig.
2. 3. sp. un. c. acul.
- 3 E. hemisphaericus. sp. 2.
- 4 E. angulosus. sp. 2.
- a. E. — Var. β . Gaultieri
testac. tac. 108. fig A. sp. 2.
- 5 E. excavatus. sp. unic.
- 6 E. saxatilis. sp. 3.
- 7 E. fenestratus. sp. 2. quor.
un. c. acul. alt. und.
- 8 E. subangularis. sp. 3.
- 9 E. Diadema. sp. un. c.
acul.
- 10 E. radiatus. sp. un.

- 11 E. lidaris. sp. 2. quor.
 un. aculeat. alt. nud.
 a. E. — Var. β . sp. unic.
 integer. e acul.
- 12 E. manillatus. sp. unic.
- 13 E. Lucunter. sp. 3.
- 14 E. atratus. sp. un. pulcher.
- 15 E. sardicus. sp. 3.
- 16 E. pustulosus. sp. 3.
- 17 E. granulatus. sp. 3.
- 18 E. tessellatus. sp. 2 (Var.
 precedentis.?)

page 88.

- 19 E. torennaticus. sp. unic.
- 20 E. sinuatus. sp. un.
- 21 E. vulgaris. sp. 3.
- 22 E. semilunaris. sp. 3.
- 23 E. rosaceus. sp. 2.
- 24 E. oviformis. sp. 3.
- 25 E. biforis. sp. 3.
- 26 E. emarginatus. sp. 2.
 quor. un. aculeat. alt. nud.
- 27 E. auritus. sp. 3.
- 28 E. Laganum. sp. 3.

- 29 E. decadactylus. sp. un.
 30 E. octadactylus, sp. un.
 31 E. orbiculus. sp. 3.
 32 E. lacunosus. sp. un.
 33 E. purpureus. (idem ac
 Basteri Gmel. S.N. p.
 3170) sp. 2. aculeat.
 a. E. — Var. arcis quinque
 valde impressis. Klein
 Echinoderm. tab. 33. fig.
 A. (an purpureus. absque
 aculeis?)
 34 E. spatagus. sp. 3. quor.
 un. fossile.
 35 E. nov. spec. affinis Kleinii.
 Echinoderm. tab. 58. fig. 5.
 et Encycl. methodique.
 tab. 156. fig. 7. Testa ovato
 cordata, superne gibba,
 subtus plana, ambulacris
 quinque, quorum quatuor
 perparia dispositis quinto
 plano a vertice perforato
 in dorsum declinante,
 poris ad latera pinna-

tifide dispositis includun-
tur: areis, dorso et later-
ibus fundi foraminibus
pluribus rotundis, pistil-
lo in medio foraminum;
pars anterior valde im-
pressa perforata. Os
semilinata Patria
mihi ignota. sp. un.

Zool. Dept.
MOLLUSCA

